

# Dementia Curriculum for Health Care Professionals

## Module 12: References

### Palliative and End-of-Life Care for Persons Living with Dementia



## Module 12 References

Albrecht, J. S., Gruber-Baldini, A. L., Fromme, E. K., McGregor, J. C., Lee, D. S. H., & Furunu, J. P. (2013). Quality of hospice care for patients with dementia. *Journal of the American Geriatric Society*, 61(7), 1060–1065.

American Association on Intellectual and Developmental Disabilities.(2012). Caring at the end of life: a position statement of the AAIDD. Washington, DC: AAIDD (<https://aaid.org/news-policy/policy/position-statements/caring-at-the-end-of-life#.W09mZPFyUk>)

American Geriatrics Society (AGS). (2014). American Geriatrics Society's (AGS) Ethics and Clinical Practice and Models of Care Position Statement on Feeding Tubes in Advanced Dementia. *Journal of the American Geriatrics Society*, 62(8), 1590–1593.

Arcand, M. (2015). End-of-life issues in advanced dementia. Part 2: management of poor nutritional intake, dehydration, and pneumonia. *Canadian Family Physician*, 61, 337–341.

Bonner, G. J., Wang, E., Wilkie, D. J., Ferrans, C. E., Dancy, B., & Watkins, Y. (2014). Advance care treatment plan (ACT-Plan) for African American family caregivers: a pilot study. *Dementia (London)*, 13(1), 79–95.

Brown, M. A., Sampson, E. L., Jones, L., Barron, A. M. (2012). Prognostic indicators of 6-month mortality in elderly people with advanced dementia: a systematic review. *Palliative Medicine*, 27(5), 389–400.

Chen, J. H., Lamberg, J. L., Chen, Y. C., Kiely, D. K., Page, J. H., Person, C. J., & Mitchell, S. L. (2006). Occurrence and treatment of suspected pneumonia in long-term care residents dying with advanced dementia. *Journal of the American Geriatric Society*, 54, 290–295.

Connolly, A., Sampson, E. L., & Purandare, N. (2012). End-of-life care for people with dementia from ethnic minority groups: a systematic review. *Journal of the American Geriatric Society*, 60(2), 351–360.

Costa-Requena, G., Espinosa Val, M. C., & Cristófal, R. (2015). Caregiver burden in end-of-life care: advanced cancer and final stage of dementia. *Palliative and Supportive Care*, 13, 583–589.

Davies, N., Maio, L., Rait, G., & Iliffe, S. (2014). Quality end-of-life care for dementia: what have family carers told us so far? A narrative synthesis. *Palliative Medicine*, 28(7), 919–930.

Friedman SL, Helm DT, Woodman AC. (2012). Unique and universal barriers: hospice care for aging adults with intellectual disability. *Am J Intellect Dev Disabil*. 2012 Nov;117(6):509-32. doi: 10.1352/1944-7558-117.6.509.

Friedrich, L. (2013). End-of-life nutrition: is tube feeding the solution? *Annals of Long-Term Care: Clinical Care and Aging*, 21(10), 30–33.

Hanson, L. C., Carey, T. S., Caprio, A. J., Lee, T. J., Ersek, M., Garrett, J., ... Mitchell, S. L. (2011). Improving decision making for feeding options in advanced dementia: a randomized, controlled trial. *Journal of the American Geriatric Society*, 59(11), 2009–2016.

- Hendriks, S. A., Smalbrugge, M., Hertogh, C. M. P. M., & van der Steen, J. T. (2014). Dying with dementia: symptoms, treatment, and quality of life in the last week of life. *Journal of Pain and Symptom Management*, 47(4), 710–720.
- Hildreth, K. L. & Church, S. (2015). Evaluation and management of the elderly patient presenting with cognitive complaints. *Medical Clinics of North America*, 99(2), 311–35.
- Jox, R. J., Denke, E., Hamann, J., Mendel, R., Förstl, H., & Borasio, G. D. (2012). Surrogate decision making for patients with end-stage dementia. *International Journal of Geriatric Psychiatry*, 27, 1045–1052.
- Kiely, D. K., Givens, J. L., Shaffer, M. L., Teno, J. M., Mitchell, S. L. (2010). Hospice use and outcomes in nursing home residents with advanced dementia. *Journal of the American Geriatric Society*, 58, 2284–2291.
- McCarron, M., Stemp, S., Coppus, A., Fortea, J., Janicki, M.P., Reilly, E., Watchman, K., McCallion, P., and the Summit Working Group on Advanced Dementia., (2018). Defining advanced dementia in people with Down syndrome and other intellectual disabilities: Consensus Statement of the International Summit on Intellectual Disability and Dementia. *Journal of Palliative Care*, in press.
- Merel, S. E., DeMers, S., & Vig, E. (2014). Palliative care in advanced dementia. *Clinical and Geriatric Medicine*, 30, 469–492.
- Miller, S. C., Gozalo, P., & Mor, V. (2001). Hospice enrollment and hospitalization of dying nursing home patients. *American Journal of Medicine*, 111, 38–44.
- Miller, S. C., Lima, J. C., Looze, J., & Mitchell, S. L. (2012). Dying in U.S. nursing homes with advanced dementia: how does health care use differ for residents with, versus without, end-of-life Medicare skilled nursing facility care? *Journal of Palliative Medicine*, 15, 43–50.
- Miller, S. C., Mor, V., Wu, N., Gozalo, P., & Lapane, K. (2002). Does receipt of hospice care in nursing homes improve the management of pain at the end of life? *Journal of the American Geriatric Society*, 50, 507–515.
- Mioshi, E., Hsieh, S., Savage, S., Hornberger, M., & Hodges, J. R. (2010). Clinical staging and disease progression in frontotemporal dementia. *Neurology*, 74, 1591–1597.
- Mitchell, S.L. (2015). Advanced dementia. *The New England Journal of Medicine*, 372, 2533–2540.
- Mitchell, S. L., Miller, S. C., Teno, J. M., Davis, R. B., & Shaffer, M. L. (2010a). The Advanced Dementia Prognostic Tool (ADEPT): A risk score to estimate survival in nursing home residents with advanced dementia. *Journal of Pain and Symptom Management*, 40(5), 639–651.
- Mitchell, S. L., Miller, S. C., Teno, J. M., Kiely, D. K., Davis, R. B., & Shaffer, M. L. (2010b). Prediction of 6-month survival of nursing home residents with advanced dementia using ADEPT vs hospice eligibility guidelines. *Journal of the American Medical Association*, 304(17), 1929–1935.
- Mitchell, S. L., Teno, J. M., Kiely, D. K., Shaffer, M. L., Jones, R. N., Prigerson, H. G., ... Hamel, M. B. (2009). The clinical course of advanced dementia. *The New England Journal of Medicine*, 361(16), 1529–1538.

National Hospice and Palliative Care Organization (NHPCO). (2017). *Palliative and Hospice Care*. Retrieved from [https://www.nhpco.org/sites/default/files/public/2014\\_Facts\\_Figures.pdf](https://www.nhpco.org/sites/default/files/public/2014_Facts_Figures.pdf)

Nicolle, L. E., Bradley, S., Colgan, R., Rice, J. C., Schaeffer, A., & Hooton, T. M. (2005). Infectious Diseases Society of America guidelines for the diagnosis and treatment of asymptomatic bacteriuria in adults. *Clinical Infectious Diseases*, 40, 643–654.

Ortman, J. M., Victoria A. Velkoff, V. A., & Hogan H. (2014). *An Aging Nation: The Older Population in the United States, Population Estimates and Projections, Current Population Reports*. Retrieved from <https://www.census.gov/prod/2014pubs/p25-1140.pdf>

Peck, G. E., Dani, M., Torrance, A., & Mir, M. A. (2014). Artificial feeding in patients with advanced dementia. *British Journal of Hospital Medicine*. 75(Sup1):C2. doi: <http://dx.doi.org/10.12968/hmed.2014.75.Sup1.C2>

Rose, K. & Lopez, R. (2012). Transitions in dementia care: theoretical support for nursing roles. *The Online Journal of Issues in Nursing*, 17(2):4.

Schafirovits-Morillo, L. & Suemoto, C.K. (2010). Severe dementia: a review on diagnoses, therapeutic management and ethical issues. *Dementia and Neuropsychology*, 4(3), 158–164.

Sekerak, R. J. & Stewart, J. T. (2014). Caring for the patient with end-stage dementia. *Annals of Long-Term Care: Clinical Care and Aging*, 22(12), 36–43.

Sloane, P. D., Zimmerman, S., Williams, C. S., & Hanson, L. C. (2008). Dying with dementia in long-term care. *Gerontologist*, 48(6), 741–751.

Tjia, J., Briesacher, B. A., Peterson, D., Liu Q., Andrade, S. E., & Mitchell, S. L. (2014a). Use of medications of questionable benefit in advanced dementia. *Journal of the American Medical Association -Internal Medicine*, 1774, 1763–1771.

Tjia, J., Cutrona, S. L., Peterson, D., Reed, G., Andrade, S. E., & Mitchell, S. L. (2014b). Statin discontinuation among nursing home residents with advanced dementia. *Journal of the American Geriatric Society*, 62(11), 2095–2101.

Tjia, J., Rothman, M. R., Kiely, D. K., Shaffer, M. L., Holmes, H. M., Sachs, G. A., & Mitchell, S. L. (2010). Daily medication use in nursing home residents with advanced dementia. *Journal of the American Geriatric Society*, 58(5), 880–888.

Tilly J. & Fok, A. (2007). *Quality end of life care for individuals with dementia in assisted living and nursing homes and public policy barriers to delivering this care*. Retrieved from [http://www.alz.org/documents/national/End\\_interviewpaper\\_III.pdf](http://www.alz.org/documents/national/End_interviewpaper_III.pdf)

Todd, S., Barr, S., Roberts, M., & Passmore, A. P. (2013). Survival in dementia and predictors of mortality: a review. *International Journal of Geriatric Psychiatry*, 28, 1109–1024.

Torke, A. M., Holtz, L. R., Hui, S., Castelluccio, P., Connor, S., Eaton, M. A., & Sachs, G. A. (2010). Palliative care for patients with dementia: a national survey. *Journal of the American Geriatric Society*, 58(11), 2114–2121.

University of California, San Francisco (UCSF), Memory and Aging Center. (2016). *Forms of Frontotemporal Dementia*. Retrieved from <http://memory.ucsf.edu/ftd/overview/ftd/progression/multiple/endstage>

Wolf-Klein, G., Pekmezaris, R., Chin, L., & Weiner, J. (2007). Conceptualizing Alzheimer's disease as a terminal medical illness. *American Journal of Hospital and Palliative Medicine*, 24(1), 77–82.

World Health Organization (WHO). (2016). *WHO definition of palliative care*. Retrieved from <http://www.who.int/cancer/palliative/definition/en/>

## Module 12 Additional References

Arrighi, H. M., Neumann, P. J., Liebergurg, I. M., & Townsend, R. J. (2010). Lethality of Alzheimer disease and its impact on nursing home placement. *Alzheimer Disease and Associated Disorders*, 24, 90–95.

Clare, L., Quinn, C., Hoare, Z., Whitaker, R., & Woods, R. T. (2014). Care staff and family member perspectives on quality of life in people with very severe dementia in long-term care: a cross-sectional study. *Health and Quality of Life Outcomes*, 12:175.

Cohen-Mansfield, J., Marx, M. S., Freedman, L. S., Murad, H., Thein, K., & Dakheel-Ali, M. (2012). What affects pleasure in persons with advanced stage dementia? *Journal of Psychiatric Research*, 46(3), 402–406.

Li, Q., Zheng, N. T., & Temkin-Greener, H. (2013). Quality of end-of-life care of long-term nursing home residents with and without dementia. *Journal of the American Geriatric Society*, 61, 1066–1073.

## Module 12 Resources

AGS 2015 Updated Beers Criteria for Potentially Inappropriate Medication Use in Older Adults. Available at American Geriatrics Society.

Alzheimer's Association Campaign for Quality Residential Care. Dementia Care Practice Recommendations for Assisted Living Residences and Nursing Homes Phase 3 End-of-Life Care. [https://www.alz.org/national/documents/brochure\\_DCPRphase3.pdf](https://www.alz.org/national/documents/brochure_DCPRphase3.pdf)  
Edited by Jane Tilly, Dr.P.H.; Peter Reed, Ph.D.; Elizabeth Gould, M.S.W.; and Abel Fok

Alzheimer's disease and palliative care: <https://getpalliativecare.org/whatis/disease-types/dementia-palliative-care/>

Center to Advance Palliative Care <https://www.capc.org/about/palliative-care/>

*What is End of Life Care?*

<https://www.nia.nih.gov/health/what-end-life-care>

Hospice Foundation of America <http://hospicefoundation.org>

Hospice of the Valley Dementia Team (2011). Hospice Care: Maximizing Comfort and Enhancing Quality of Life for Persons with FTD and their Families. Retrieved from: [http://www.theaftd.org/wp-content/uploads/2011/10/Hospice-and-FTD\\_Hospice-of-the-Valley-2011-ppt-online-version.pdf](http://www.theaftd.org/wp-content/uploads/2011/10/Hospice-and-FTD_Hospice-of-the-Valley-2011-ppt-online-version.pdf)

National Hospice and Palliative Care Organization <http://www.nhpco.org>

National Hospice Foundation <http://www.nationalhospicefoundation.org>

National Institute of Aging. End of Life: Helping with Comfort and Care. (2012)  
<https://www.nia.nih.gov/health/end-of-life>

National Transitions of Care Coalition <http://www.ntocc.org/Home.aspx>

Tilly J, Fok A. Quality end of life care for individuals with dementia in assisted living and nursing homes and public policy barriers to delivering this care.  
[http://www.alz.org/documents/national/End\\_interviewpaper\\_III.pdf](http://www.alz.org/documents/national/End_interviewpaper_III.pdf)

American Academy of Hospice and Palliative Medicine <http://aahpm.org/>

What is hospice? <http://hospicefoundation.org/Hospice-Care/Hospice-Services>

Consider recommending a bereavement support group.

Refer to a trained bereavement counselor or other mental health professional in cases of complicated grief, whose signs include nightmares and long-lasting feelings of guilt or hopelessness.

<https://www.assistedlivingfacilities.org/resources/quiz-what-type-of-care-is-right-for-me-/hospice-care/>

## Module 12 Hospice resources

A hospice locator is available at <https://agencylocator.nahc.org/>

Advice on how to choose a hospice is available at <https://hospicefoundation.org/End-of-Life-Support-and-Resources/Coping-with-Terminal-Illness/How-to-Choose>

Alzheimer's Association. Hospice Care for Alzheimer's (2016).

<http://www.alz.org/care/alzheimers-dementia-hospice.asp>

American Academy of Hospice and Palliative Medicine <http://aahpm.org/>

Center for the Advancement of Palliative Care <https://www.capc.org/>

Hospice and Palliative Nurse Association <https://advancingexpertcare.org/>

Information on paying for hospice is available at

<http://www.caringinfo.org/i4a/pages/index.cfm?pageid=3358>

Lewy Body Dementia Association. The Role of Palliative and Hospice Care in Lewy Body Dementia <http://www.lbda.org/content/role-palliative-and-hospice-care-in-lbd>

National Consensus Project for Quality Palliative Care

<http://www.nationalconsensusproject.org/>

National Hospice and Palliative Care Organization <http://www.nhpco.org/>