

Dementia Curriculum for Health Care Professionals

Module 6: References

Understanding the Middle Stage of Dementia for the Interprofessional Team



Module 6 References

- Aarsland, D., Taylor, J. P., & Weintraub, D. (2014). Psychiatric issues in cognitive impairment. *Movement Disorders, 29*(5), 651–662.
- Ali, N., Luther, S. L., Volicer, L., Algase, D., Beattie, E., Brown, L. M., ... & Joseph, I. (2016). Risk assessment of wandering behavior in mild dementia. *International Journal of Geriatric Psychiatry, 31*(4), 367-374.
- Aubert, L., Pichierri, S., Hommet, C., Camus, V., Berrut, G., & de Decker, L. (2015). Association between comorbidity burden and rapid cognitive decline in individuals with mild to moderate Alzheimer's disease. *Journal of the American Geriatrics Society, 6*, 543–547.
- Azermai, M. (2015). Dealing with behavioral and psychological symptoms of dementia: A general overview. *Psychology Research and Behavior Management, 8*, 181–185.
- Bixby, K., Davis, J. D., & Ott, B. R. (2015). Comparing caregiver and clinician predictions of fitness to drive in people with Alzheimer's disease. *American Journal of Occupational Therapy, 69*(3), 1–7. [doi: 10.5014/ajot.2015.013631](https://doi.org/10.5014/ajot.2015.013631)
- Bombois, S., Derambure, P., Pasquier, F., & Monaca, C. (2010). Sleep disorders in aging and dementia. *Journal of Nutrition Health and Aging, 14*(3), 212–217.
- Bonakis, A., Economou, N. T., Paparrigopoulos, T., Bonanni, E., Maestri, M., Carnicelli, L., ... & Papageorgiou, S. G. (2014). Sleep in frontotemporal dementia is equally or possibly more disrupted, and at an earlier stage, when compared to sleep in Alzheimer's disease. *Journal of Alzheimer's Disease, 38*(1), 85–91.
- Breitve, M. H., Chwiszczuk, L. J., Hynninen, M. J., Rongve, A., Bronnick, K., Janvin, C., & Aarsland, D. (2014). A systematic review of cognitive decline in dementia with Lewy bodies versus Alzheimer's disease. *Alzheimer's Research and Therapy, 6*(5), 53.
- Brown, C. A., Wielandt, P., Wilson, D., Jones, A., & Crick, K. (2014). Healthcare providers' knowledge of disordered sleep, sleep assessment tools, and nonpharmacological sleep interventions for persons living with dementia: A national survey. *Sleep Disorders, 2014*, 1–9. [doi: 10.1155/2014/286274](https://doi.org/10.1155/2014/286274)
- Budson, A. E., & Solomon, P. R. (2016). Non-pharmacological treatment of the behavioral and psychological symptoms of dementia memory Loss, Alzheimer's disease, and dementia: A practical guide for clinicians (2nd ed.). New York, NY: Elsevier.
- Carr, D. B., & O'Neill, D. (2015). Mobility and safety issues in drivers with dementia. *International Psychogeriatrics, 27*(10), 1613–1622.

Cerejeira, J., Lagarto, L., & Mukaetova-Iadinska, E. B. (2013). Behavioral and psychological symptoms of dementia. *Frontiers in Neurology*, 3, 1–21.

Chen, J. C., Espeland, M. A., Brunner, R. L., Lovato, L. C., Wallace, B., Leng, Z., ... & Mysiw, W. J. (2016). Sleep duration, cognitive decline, and dementia risk in older women. *Alzheimer's & Dementia*, 12(1), 21–33.

Cipriani, G., Lucetti, C., Danti, S., & Nuti, A. (2015). Sleep disturbances and dementia. *Psychogeriatrics*, 15(1), 65–74.

Cohen-Mansfield, J., Marx, M., Dakheel-Ali, M., & Thein, K. (2015). The use and utility of specific nonpharmacological interventions for behavioral symptoms in dementia: An exploratory study. *American Journal of Geriatric Psychiatry*, 23, 160–170.

Cohen-Mansfield, J., Thein, K., Marx, M. S., Daheel-Ali, M., & Freedman, L. (2012). Efficacy of nonpharmacologic interventions for agitation in advanced dementia: A randomized, placebo-controlled trial. *Journal of Clinical Psychiatry*, 73(9), 1255–1261.

Daulatzai, M. A. (2015). Evidence of neurodegeneration in obstructive sleep apnea: Relationship between obstructive sleep apnea and cognitive dysfunction in the elderly. *Journal of Neuroscience Research*, 93(12), 1778–1794.

David, R., Zeitzer, J., Friedman, L., Noda, A., O'Hara, R., Robert, P., & Yesavage, J. A. (2010). Non-pharmacologic management of sleep disturbance in Alzheimer's disease. *Journal of Nutrition Health and Aging*, 14(3), 203–206.

Desai, A. K., Schwartz, L., & Grossberg, G. T. (2012). Behavioral disturbance in dementia. *Current Psychiatry Reports*, 14, 298–309.

Ferrazzoli, D., Sica, F., & Sancesario, G. (2013). Sundowning syndrome: A possible marker of frailty in Alzheimer's disease? *CNS and Neurological Disorders: Drug Targets*, 12(4), 525–528.

Galvin, J. E. (2012). Optimizing diagnosis and management in mild-to-moderate Alzheimer's disease. *Neurodegenerative Disease Management*, 2, 291–304.

Gitlin, L. N., Kales, H. C., & Lyketsos, C. G. (2012). Managing behavioral symptoms in dementia using nonpharmacologic approaches: An overview. *JAMA*, 308(19), 2020–2029.

Gitlin, L. N., & Rose, K. (2014). Factors associated with caregiver readiness to use nonpharmacologic strategies to manage dementia-related behavioral symptoms. *International Journal of Geriatric Psychiatry*. 29(1), 93–102.

Goldman, J. G., Williams-Gray, C., Barker, R. A., Duda, J. E., & Galvin, J. E. (2014). The spectrum of cognitive impairment in Lewy body diseases. *Movement Disorders*, 29(5), 608–621.

Gorelick, P. B., & Nyenhuis, D. (2013). Understanding and treating vascular cognitive impairment. *Continuum: Lifelong Learning in Neurology*, 19, 425–437.

Gumm, D. G., Naismith, S. L., Terpening, Z., & Lewis, S. J. G. (2013). The relationships between poor sleep efficiency and mild cognitive impairment in Parkinson disease. *Journal of Geriatric Psychiatry and Neurology*, 27(2), 77–84.

Horning, S. M., Melrose, R., & Sultzer, D. (2014). Insight in Alzheimer's disease and its relation to psychiatric and behavioral disturbances. *International Journal of Geriatric Psychiatry*, 29(1), 77–84.

Jacobson, E., Avari, J., & Kalayam, B. (2015). Non-pharmacologic interventions for treatment of agitation in dementia in nursing home residents. *American Journal of Geriatric Psychiatry*, 23(3), S139–S140.

Jenkins, C., & McKay, A. (2013). A collaborative approach to health promotion in early stage dementia. *Nursing Standard*, 27(36), 49–57.

Joller, P., Gupta, N., Seitz, D. P., Frank, C., Gibson, M., & Gill, S. S. (2013). Approach to inappropriate sexual behavior in people with dementia. *Canadian Family Physician*, 59, 255–260.

Kales, H. C., Gitlin, L. N., & Lyketsos, C. G. (2015). Assessment and management of behavioral and psychological symptoms of dementia. *BMJ*, 350, h369.

Kales, H. C., Gitlin, L. N., & Lyketsos, C. G., for the Detroit Expert Panel on the Assessment and Management of the Neuropsychiatric Symptoms of Dementia. (2014). Management of neuropsychiatric symptoms of dementia in clinical settings: Recommendations from a multidisciplinary expert panel. *Journal of the American Geriatric Society*, 62, 762–769.

Kales, H. C., Valenstein, M., Kim, H. M., McCarthy, J. F., Ganoczy, D., Cunningham, F., & Blow, F. C. (2007) Mortality risk in patients with dementia treated with antipsychotics versus other psychiatric medications. *American Journal of Psychiatry*. 164(10), 1568–1576.

Kropelin, T. F., Neyens, J. C. L., Halfens, R. J. G., Kempen, G. I. J. M., & Hamers, J. P. H. (2013). Fall determinants in older long-term care residents with dementia: A systematic review. *International Psychogeriatrics*, 25, 549–563.

Landry, G. J., & Liu-Ambrose, T. (2014). Buying time: A rationale for examining the use of circadian rhythm and sleep interventions to delay progression of mild cognitive impairment to Alzheimer's disease. *Frontiers in Aging Neuroscience*, 6, 1–21. doi: 10.3389/fnagi.2014.00325

Lewy Body Dementia Association. (n.d.). *10 things you should know about LBD*. Retrieved from <https://www.lbda.org/content/10-things-you-should-know-about-lbd>

Lichtenberg, P. A. (2014). Sexuality and physical intimacy in long term care: Sexuality, long term care, capacity assessment. *Occupational Therapy in Health Care, 28*(1), 42–50.

Liddle, J., Bennett, S., Allen, S., Lie, D. C., Standen, B., & Pachana, N. A. (2013). The stages of driving cessation for people with dementia: Needs and challenges. *International Psychogeriatrics, 25*(12), 2033–2046.

Lyketsos, C. G., Carrillo, M. C., Ryan, J. M, Khachaturian, A. S., Trzepacz, P., Amatniek, J., ... & Muller, D. S. (2011). Neuropsychiatric symptoms in Alzheimer's disease. *Alzheimer's and Dementia, 7*(5), 532–539.

Mayo Clinic. (2013). *Lewy body dementia*. Retrieved from <http://www.mayoclinic.org/diseases-conditions/lewy-body-dementia/basics/symptoms/CON-20025038>

Mertens, B., & Sorenson, S. B. (2012). Current considerations about the elderly and firearms. *American Journal of Public Health, 102*(3), 396–400.

Meuser, T.M., Bergweger, M., Carr, D.B., Shi, S.J. & Stewart, D. (2016). Clinician Effectiveness in Assessing Fitness-to-Drive of Medically At-Risk Older Adults. *Journal of the American Geriatrics Society, 64*, 849-854.

Mioshi, E., Hsieh, S., Savage, S., Hornberger, M., & Hodges, J. R. (2010). Clinical staging and disease progression in frontotemporal dementia. *Neurology, 74*, 1591–1597.

Murphy, K. (2015). What to do about sexually inappropriate behavior in patients with dementia. *Nursing, 45*(9), 53–56.

Nakaoka, A., Suto, S., Makimoto, K., Yamakawa, M., Shigenobu, K., & Tabushi, K. (2010). Pacing and lapping movements among institutionalized patients with dementia. *American Journal of Alzheimer's Disease and Other Dementias, 25*(2), 167–172.

National Institute on Aging, National Institutes of Health. (2013a). *The basics of dementia*. Retrieved from <https://www.nia.nih.gov/alzheimers/publication/dementias/basics-dementia>

National Institute on Aging, National Institutes of Health. (2013b). *The dementias: Hope through research*. Retrieved from <https://www.nia.nih.gov/alzheimers/publication/dementias/introduction>

National Institute on Aging, National Institutes of Health. (2014). *Frontotemporal dementia: Information for patients, families, and caregivers*. Retrieved from <https://www.nia.nih.gov/alzheimers/publication/frontotemporal-disorders/introduction>

National Institute on Aging, National Institutes of Health. (2015a). *Caring for a person with Alzheimer's disease: Your easy-to-use guide from the National Institute on Aging*. Retrieved from <https://www.nia.nih.gov/alzheimers/publication/caring-person-alzheimers-disease/about-guide>

National Institute on Aging, National Institutes of Health. (2015b). *Lewy body dementia: Information for patients, families, and professionals*. Retrieved from <https://www.nia.nih.gov/alzheimers/publication/lewy-body-dementia/introduction>

National Sleep Foundation. (2003). *Sleep hygiene: Ask the expert*. Retrieved from <https://sleepfoundation.org/ask-the-expert/sleep-hygiene>

Nordgren, L., & Engstrom, G. (2014). Animal-assisted intervention in dementia: Effects on quality of life. *Clinical Nursing Research*, 23(1), 7–19.

Ortigara, A., & Scher McLean, R. (2013). Seeing the person first: Living with moderate-stage dementia. *Generations*, 37(3), 66–69.

Ortman, J. M., Victoria A., Velkoff, V. A., & Hogan H. (2014). *An Aging Nation: The Older Population in the United States*, Current Population Reports (P25-1140). U.S. Census Bureau: Washington, DC.

Peter-Derex, L., Yammine, P., Bastuji, H., & Croisile, B. (2015). Sleep and Alzheimer's disease. *Sleep Medicine Reviews*, 19, 29–38.

Petonito, G., Muschert, G. W., Carr, D. C., Kinney, J. M., Robbins, E. J., & Brown, J. S. (2013). Programs to locate missing and critically wandering elders: A critical review and a call for multiphasic evaluation. *Gerontologist*, 53(1), 17–25.

Piguet, O., Hornberger, M., Mioshi, E., & Hodges, J. R. (2011). Behavioral-variant frontotemporal dementia: Diagnosis, clinical staging, and management. *Lancet Neurology*, 10, 162–172.

Poland, F., Mapes, S., Pinnock H., Katona, C., Sorensen, S., Fox, C., & Maidment, I. D. (2014). Perspectives of carers on medication management in dementia: lessons from collaboratively developing a research proposal. *BMC Research Notes*, 7, 463.

Raggi, A., Neri, W., & Ferri, R. (2015). Sleep-related behaviors in Alzheimer's disease and Lewy body dementia. *Reviews in Neurosciences*, 26(1), 31–38.

Roh, J. H., & Lee, J. H. (2014). Recent updates on subcortical ischemic vascular dementia. *Journal of Stroke*, 16(1), 18–26. Retrieved from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3961819/>

Rowe, M. (2008). Wandering in hospitalized older adults: Identifying risk is the first step in this approach to preventing wandering in patients with dementia. *American Journal of Nursing*, 108(10), 62–70.

Rowe, M. A., Greenblum, C. A., & D'Aoust, R. F. (2012). Missing incidents in community-dwelling people with dementia: Understanding how these dangerous events differ from dementia-related “wandering” is critical to assessment, intervention, and prevention. *American Journal of Nursing*, 112(12), 30–35.

Rowe, M. A., Vandever, S. S., Greenblum, C. A., List, C. N., Fernandez, R. M., Mixson, N. E., & Ahn, H. C. (2011). Persons with dementia missing in the community: Is it wandering or something unique? *BMC Geriatrics*, 11, 28. doi: 10.1186/1471-2318-11-28

Sahathevan, R., Brodtmann, A., & Donnan, G. A. (2012). Dementia, stroke, and vascular risk factors: A review. *International Journal of Stroke*, 7, 1–73.

Tzeng, H. M., & Yin, C. Y. (2013). Frequently observed risk factors for fall-related injuries and effective preventive interventions: A multihospital survey of nurses' perceptions. *Journal of Nursing Care Quality*, 28(2), 130–138.

Vasavada, M. M., Wang, J., Eslinger, P. J., Gill, D. J., Sun, X., Karunanayaka, P., Yang, Q. X. (2015). Olfactory cortex degeneration in Alzheimer's disease and mild cognitive impairment. *Journal of Alzheimer's Disease*, 45, 947–958.

Wand, A. P., Peisah, C., Strukovski, J. A., & Brodaty, H. (2014). Firearms, mental illness, dementia and the clinician. *Medical Journal of Australia*, 201(11), 674–678.

Westwood, S. (2014). Dementia, women and sexuality: How the intersection of ageing, gender and sexuality magnify dementia concerns among lesbian and bisexual women. *Dementia (London)*. Advance online publication. doi: [10.1177/1471301214564446](https://doi.org/10.1177/1471301214564446)

Williams, J. W., Plassman, B. L., Burke, J., Holsinger, T., & Benjamin, S. (2010). *Preventing Alzheimer's disease and cognitive decline*. Rockville, MD: Agency for Healthcare Research and Quality.

Wolfson, C., Wolfson, D. B., Asgharian, M., M'Lan, C. E., Østbye, T., Rockwood, K., & Hogan, D. B. (2001). A reevaluation of the duration of survival after the onset of dementia. *New England Journal of Medicine*, 344, 1111–1116.

Yevchak, A. M., Steis, M. R., & Evans, L. K. (2012). Sundown syndrome: A systematic review of the literature. *Research in Gerontological Nursing*, 5(4), 294–303.

Module 6 Additional References

Ahlskog, J. E. (2011). Does vigorous exercise have a neuroprotective effect in Parkinson disease? *Neurology*, 77, 288–294.

Ali, N., Luther, S. L., Volicer, L., Algase, D., Beattie, E., Brown, L. M., ... & Joseph, I. (2016). Risk assessment of wandering behavior in mild dementia. *International Journal of Geriatric Psychiatry*, 31(4), 367–374.

Alm, M., & Behne, D. (2013). Audio-visual speech experience with age influences perceived audio-visual asynchrony in speech. *Journal of the Acoustical Society of America*, 134, 3001–3010.

Bakker, C., de Vugt, M. E., van Vliet, D., Verbey, F., Pijnenburg, Y. A., Vernooij-Dassen, M. J., & Koopmans, R. T. (2014). Unmet needs and health-related quality of life in young-onset dementia. *American Journal of Geriatric Psychiatry*, 22(11), 1121–1130.

Blackburn, R., & Bradshaw, T. (2014). Music therapy for service users with dementia: A critical review of the literature. *Journal of Psychiatric and Mental Health Nursing*, 21, 879–888.

Brodaty, H., McGilchrist, C., Harris, L., & Peters, K. E. (1993). Time until institutionalization and death in patients with dementia: Role of caregiver training and risk factors. *Archives of Neurology*, 50(6), 643–650.

Caputi, N., Di Giacomo, D., Aloisio, F., & Passafiume, D. (2015). Deterioration of semantic associative relationships in mild cognitive impairment and Alzheimer Disease. *Applied Neuropsychology: Adult*. Advance online publication. doi: 10.1080/23279095.2015.1030020

Chang, L. H., Yotsumoto, Y., Salat, D. H., Andersen, G. J., Watanabe, T., & Sasaki, Y. (2015). Reduction in the retinotopic early visual cortex with normal aging and magnitude of perceptual learning. *Neurobiology of Aging*, 36, 315-322.

Chen, X., Mao, G., & Leng, S. X. (2014). Frailty syndrome: An overview. *Clinical Interventions in Aging*, 9, 433–441. doi: [10.2147/CIA.S45300](https://doi.org/10.2147/CIA.S45300)

Diaz-Santos, M., Cao, B., Mauro, S. A., Yazdanbakhsh, A., Neargarder, S., & Cronin-Golomb, A. (2015). Effect of visual cues on the resolution of perceptual ambiguity in Parkinson's disease and normal aging. *Journal of the International Neuropsychological Society*, 21, 146-155.

Dobbs, B. M., & Shergill, S. S. (2013). How effective is the Trail Making Test (Parts A and B) in identifying cognitively impaired drivers? *Age and Ageing*, 42(5), 577–581.

Edvardsson, D., Petersson, L., Sjogren, K., Lindkvist, M., & Sandman, P.-O. (2014). Everyday activities for people with dementia in residential aged care: Associations with person-centredness and quality of life. *International Journal of Older People Nursing*, 9, 269–276.

Eichenbaum, J. W. (2012). Geriatric vision loss due to cataracts, macular degeneration, and glaucoma. *Mount Sinai Journal of Medicine*, 79, 276–294.

- Factora, R. (2013). *Aging and preventive health*. Retrieved from <http://www.clevelandclinicmeded.com/medicalpubs/diseasemanagement/preventive-medicine/aging-preventive-health>
- Faulk, S., Edwards, L., Sumrall, K., Shelton, T., Esalomi, T., Payton, C., ... & Dolbow, D. R. (2014). Benefits of physical activity on Alzheimer's disease: A literature review. *Clinical Kinesiology*, 68(3), 19–24.
- Figueiro, M. G., Plitnick, B. A., Lok, A., Jones, G. E., Higgins, P., Hornick, T. R., & Rea, M. S. (2014). Tailored lighting intervention improves measures of sleep, depression, and agitation in persons with Alzheimer's disease and related dementia living in long-term care facilities. *Clinical Interventions in Aging*, 9, 1527–1537.
- Forbes, D., Blake, C. M., Thiessen, E. J., Peacock, S., & Hawranik, P. (2014). Light therapy for improving cognition, activities of daily living, sleep, challenging behavior, and psychiatric disturbances in dementia. *Cochrane Database of Systematic Reviews*, 2014(2), CD003946. doi: 10.1002/14651858
- Forbes, D., Forbes, S. C., Blake, C. M., Thiessen, E. J., & Forbes, S. (2015). Exercise programs for people with dementia. *Cochrane Database of Systematic Reviews*, 2015(4), CD006489. doi: 10.1002/14651858.CD006489.pub4
- Giebel, C. M., Challis, D., & Montaldi, D. (2015). Understanding the cognitive underpinnings of functional impairments in early dementia: a review. *Aging & Mental Health*, 19, 859–875.
- Gitlin, L. N., & Rose, K. (2014). Factors associated with caregiver readiness to use nonpharmacologic strategies to manage dementia-related behavioral symptoms. *International Journal of Geriatric Psychiatry*, 29(1), 93–102.
- Helzner, E. P., Scarmeas, N., Cosentino, S., Tang, M. X., Schupf, N., & Stern, Y. (2008). Survival in Alzheimer disease: A multiethnic, population-based study of incident cases. *Neurology*, 71(19), 1489–1495.
- Hügel, H. M. (2015). Brain food for Alzheimer-free ageing: Focus on herbal medicines. *Advances in Experimental Medicine and Biology*, 863, 95–116.
- Huyse, A., Leybaert, J., & Berthommier, F. (2014). Effects of aging on audio-visual speech integration *The Journal of the Acoustical Society of America*, 136, 1918–1931.
- Iverson, D. J., Gronseth, G. S., Reger, M. A., Classen, S., Dubinsky, R. M., & Rizo, M. (2010). Practice Parameter update: Evaluation and management of driving risk in dementia; Report of the Quality Standards Subcommittee of the American Academy of Neurology. Retrieved from <http://www.neurology.org/content/74/16/1316.full.html>
- Keating, N., & Gaudet, N. (2012). Quality of life of persons with dementia. *Journal of Nutrition, Health, and Aging*, 10(5), 454–456.

Kumar, P., Tiwari S. C., Goel, A., Sreenivas, V., Kumar, N., Tripathi, R. K., ... & Dey, A. B. (2014). Novel occupational therapy interventions may improve quality of life in older adults with dementia. *International Archives of Medicine*, 7, 26.

Lee, D. R., Taylor J.-P., & Thomas, A. J. (2012). Assessment of cognitive fluctuation in dementia: A systematic review of the literature. *International Journal of Geriatric Psychiatry*, 27, 989–998.

Li, H.-C., Wang, H.-H., Chou, F.-H., & Chen, K.-M. (2015). The effect of music therapy on cognitive functioning among older adults: A systematic review and meta-analysis. *Journal of the American Medical Directors Association*, 16, 71–77.

Mitchell, S. L. (2015). Advanced dementia. *New England Journal of Medicine*, 372(26), 2533–2540. Mitchell, S. L., Kiely, D. K., Jones, R. N., Prigerson, H., Volicer, L., & Teno, J. M. (2006). Advanced dementia research in the nursing home: The CASCADE study. *Alzheimer Disease and Associated Disorders*, 20(3), 166–175.

National Eye Institute, National Institutes of Health. (2011). *Cataracts*. Retrieved from <https://nei.nih.gov/health/cataract>

Ni Mhaolain, A. M., Gallagher, D., Crosby, L., Ryan, D., Lacey, L., Coen, R. F., ... Lawlor, B. (2012). Frailty and quality of life for people with Alzheimer's dementia and mild cognitive impairment. *American Journal of Alzheimer's Disease and Other Dementias*, 27(1), 48–54.

Nussbaumer, B., Kaminski-Hartenthaler, A., Forneris, C. A., Morgan, L. C., Sonis, J. H., ... & Gartlehner, G. (2014). Light therapy for preventing seasonal affective disorder. *Cochrane Database of Systematic Reviews*, 2015(11), CD011269. doi: [10.1002/14651858.CD011269](https://doi.org/10.1002/14651858.CD011269)

Paxton, J. L., Peavy, G. M., Jenkins, C., Rice, V. A., Heindel, W. C., & Salmon, D. P. (2007). Deterioration of visual-perceptual organization ability in Alzheimer's disease. *Cortex*, 43, 967–975.

Phillips, C., Baktir, M. A., Das, D., Lin, B., & Salehi, A. (2015). The link between physical activity and cognitive dysfunction in Alzheimer disease. *Physical Therapy*, 9, 1046–1060.

Pollanen, S. H., & Hirsimaki, R. M. (2014). Crafts as memory triggers in reminiscence: A case study of older women with dementia. *Occupational Therapy in Health Care*, 28(4), 410–430.

Rush University Medical Center. (n.d.). *MIND Diet may help prevent Alzheimer's*. Retrieved from <https://www.rush.edu/news/diet-may-help-prevent-alzheimers>

Safar, L. T. (2014). Use of art making in treating older patients with dementia. *Virtual Mentor*, 16(8), 626–630.

Satizabal, C. L., Beiser, A. S., Chouraki, V., Chêne, G., Dufouil, C., & Seshadri, S. (2016). Incidence of dementia over three decades in the Framingham Heart Study. *New England Journal of Medicine*, *374*(6), 523–532.

Smit, D., de Lange, J., Willemse, B., Twisk, J., & Pot, A. M. (2016). Activity involvement and quality of life of people at different stages of dementia in long term care facilities. *Aging and Mental Health*, *20*(1), 100–109.

Spector, A., Orrell, M., & Woods, B. (2010). Cognitive Stimulation Therapy (CST): Effects on different areas of cognitive function for people with dementia. *International Journal of Geriatric Psychiatry*, *25*(12), 1253–1258.

Trahan, M. A., Kuo, J., Carlson, M. C., & Gitlin, L. N. (2014). A systematic review of strategies to foster activity engagement in persons with dementia. *Health Education and Behavior*, *41*(10), 70S–83S.

U.S. Census Bureau. (2015). *Projections of the size and composition of the U.S. population: 2014 to 2060*. Current Population Reports (P25-1143). U.S. Census Bureau: Washington, DC. Retrieved from <https://www.census.gov/content/dam/Census/library/publications/2015/demo/p25-1143.pdf>

Van Maanen, A., Meijer, A. M., van der Heijden, K. B., & Oort, F. J. (2015). The effects of light therapy on sleep problems: A systematic review and meta-analysis. *Sleep Medicine Reviews*, *29*, 52–62.

Vaucher, P., Herzig, D., Cardoso, I., Herzog, M. H., Mangin, P., & Favrat, B. (2014). The trail making test as a screening instrument for driving performance in older drivers: A translational research. *BMC Geriatrics*, *14*, 123.

Weinmann, S., Rolle, S., Schwarzback, C., Vauth, C., & Willich, S. N. (2010). Effects of Ginkgo biloba in dementia: Systematic review and meta-analysis. *BMC Geriatrics*, *10*(14). Retrieved from <http://www.biomedcentral.com/1471-2318/10/14>

Wolfson, C., Wolfson, D. B., Asgharian, M., M'Land, C. E., Østbye, T., Rockwood, K., & Hogan, D. B. (2001). A reevaluation of the duration of survival after the onset of dementia. *New England Journal of Medicine*, *344*, 1111–1116.

Wood, J. S., Firbank, M. J., Mosimann, U. P., Watson, R., Barber, R., Blamire, A. M., & O'Brien, J. T. Testing visual perception in dementia with Lewy bodies and Alzheimer disease. (2013). *The American Journal of Geriatric Psychiatry*, *21*, 501–508.

Woods, B., Aguirre, E., Spector, A. E., & Orrell, M. (2012). Cognitive stimulation to improve cognitive functioning in people with dementia. *Cochrane Database of Systematic Reviews*, *2012*(2), CD005562. [doi: 10.1002/14651858.CD005562.pub2](https://doi.org/10.1002/14651858.CD005562.pub2)

Xie, J., Brayne, C., Matthews, F. E., & Medical Research Council Cognitive Function and Ageing Study collaborators. (2008). Survival times in people with dementia: Analysis from population based cohort study with 14-year follow-up. *BMJ (Clinical Research Ed.)*, 336(7638), 258–262.

Zimmerman, K. A. (2014). *Memory definition and types of memory*. Retrieved from <http://www.livescience.com/43713-memory.html>

Module 6 Resources

A Good Night's Sleep

<http://www.nia.nih.gov/health/publication/good-nights-sleep>

American Association of Retired Persons (AARP). We Need to Talk.

http://www.aarp.org/home-garden/transportation/we_need_to_talk/?intcmp=EDO-DSP-PR-WNTT

National Adult Day Services Association

<http://www.nadsa.org>.

1-877-745-1440

Alzheimer's Disease Education and Referral (ADEAR) Center

<http://www.nia.nih.gov/alzheimers>

1-800-438-4380 (toll-free)

Alzheimer's Association

<http://www.alz.org>

1-800-272-3900 (toll-free)

1-866-403-3073 (TDD/toll-free)

Alzheimer's Caregiving Tips: Managing Medicines

https://www.nia.nih.gov/sites/default/files/sites/default/files/alzheimers_caregiving_tips_managing_medicines_0.pdf

Alzheimer's Foundation of America

<http://www.alzfdn.org>

1-866-AFA-8484 (1-866-232-8484; toll-free)

At the Crossroads: Family Conversations about Alzheimer's Disease, Dementia, and Driving

<http://www.thehartford.com/mature-market-excellence/publications-on-aging>

Caring for a Person with Alzheimer's Disease: Your Easy-to-Use Guide from the National Institute on Aging

<http://www.nia.nih.gov/alzheimers/publication/when-you-need-help/getting-help-caregiving>

Dementia & Driving Resource Center

<http://www.alz.org/care/alzheimers-dementia-and-driving.asp>

Driving and dementia: Health professionals can play important role

<http://www.nia.nih.gov/alzheimers/features/driving-and-dementia-health-professionals-can-play-important-role>.

Driving Safety: Alzheimer's Caregiving Tips

http://www.nia.nih.gov/sites/default/files/caregivingtips_driving_safety-final_7-20-12.pdf

Exercise and Physical Activity: Alzheimer's Caregiving Tips

http://www.nia.nih.gov/sites/default/files/caregivingtips_exercise-final_7-18-12_0.pdf

Geriatrics and Extended Care: Guide to Long Term Services and Supports

<http://www.va.gov/GERIATRICS/Guide/LongTermCare/index.asp>

Hartford Insurance Company. We Need to Talk.

<http://www.thehartford.com/sites/thehartford/files/we-need-to-talk-2012.pdf>

Hartford Insurance Company. At the Crossroads.

<http://hartfordauto.thehartford.com/UI/Downloads/Crossroads.pdf>

Helping People with Alzheimer's Disease Stay Physically Active: Go4Life Tip Sheet

<https://go4life.nia.nih.gov/sites/default/files/ActiveWithAD.pdf> \

Home Safety for People with Alzheimer's Disease

<http://www.nia.nih.gov/alzheimers/publication/home-safety-people-alzheimers-disease/introduction>

Intimacy and Sexuality: Resources for Dementia Caregivers

<https://www.nia.nih.gov/alzheimers/intimacy-sexuality-and-alzheimers-disease-resource-list>

Medicare Home Health Compare

<http://www.medicare.gov/homehealthcompare/search.html>

Meuser, T.M., Berg-Weger, M., Carr, D.B., Shi, S.J. & Stewart, D. (2016). Clinician Effectiveness in Assessing Fitness-to-Drive of Medically At-Risk Older Adults. Journal of the American Geriatrics Society, 64, 849-854.

National PACE Association

<http://www.npaonline.org>

National Transitions of Care Coalition

<http://www.ntocc.org>

Physician's Guide to Assessing and Counseling Older Drivers

<http://www.nhtsa.gov/people/injury/olddrive/olderdriversbook/pages/contents.html>

Senior Citizen Driving

<https://www.helpguide.org/articles/aging-well/age-and-driving-safety-tips.htm>