

Dementia Curriculum for Health Care Professionals

Module 7: References

Management of Common Medical Conditions Observed During Middle and Late Stages of Dementia



HRSA
Health Resources & Services Administration

Module 7 References

Abdelhamid, A., Bunn, D., Copley, M., Cowap, V., Dickinson, A., Gray, L., ... Hooper, L. (2016). Effectiveness of interventions to directly support food and drink intake in people with dementia: Systematic review and meta-analysis. *BMC Geriatrics*, *16*(1), 26.

Achterberg, W. P., Pieper, M. J., van Dalen-Kok, A. H., de Waal, M. W., Husebo, B. S., Lautenbacher, S., ... Corbett, A. (2013). Pain management in patients with dementia. *Journal of Clinical Interventions in Aging*, *8*, 1471–1482.

AGS Panel on Persistent Pain in Older Persons. (2002). The management of persistent pain in older persons. *Journal of the American Geriatrics Society*, *50*(Suppl 6), S205–S224.

Ahmed, R. M., Irish, M., Kam, J., van Keizerswaard, J., Bartley, L., Samaras, K., ... Piguet, O. (2014). Quantifying the eating abnormalities in frontotemporal dementia. *JAMA Neurology*, *71*(12), 1540–1546.

Alagiakrishnan, K., Bhanji, R. A., & Kurian, M. (2013). Evaluation and management of oropharyngeal dysphagia in different types of dementia: A systematic review. *Archives of Gerontology and Geriatrics*, *56*(1), 1–9.

Altman, K. W., Richards, A., Goldberg, L., Frucht, S., & McCabe, D. J. (2013). Dysphagia in stroke, neurodegenerative disease, and advanced dementia. *Otolaryngologic Clinics of North America*, *46*, 1137–1149.

Auwad, W., Steggles, P., Bombieri, L., Waterfield, M., Wilkin, T., & Freeman, R. (2008). Moderate weight loss in obese women with urinary incontinence: a prospective longitudinal study. *International Urogynecology Journal Pelvic Floor Dysfunction*, *19*(9), 1251–1259.

Bauer, K., Schwarzkopf, L., Graessel, E., & Holle, R. (2014). A claims data-based comparison of comorbidity in individuals with and without dementia. *BMC Geriatrics*, *14*(10).

Beach, P. A., Huck, J. T., Miranda, M. M., & Bozoki, A. C. (2015). Autonomic, behavioral, and subjective pain responses in Alzheimer's disease. *Pain Medicine*, *16*(10), 1930–1942.

Beeckman, D., Van Lancker, A., Van Hecke, A., & Verhaeghe, S. (2014). A systematic review and meta-analysis of incontinence-associated dermatitis, incontinence, and moisture as risk factors for pressure ulcer development. *Research in Nursing & Health*, *37*, 204–218.

Beer's Criteria (Medication List): Potentially inappropriate medications for the elderly according to the revised Beer's Criteria (2012). (n.d.). Retrieved from <https://www.dcri.org/trial-participation/the-beers-list/>

Bunn, F., Burn, A. M., Goodman, C., Rait, G., Norton, S., Robinson, L., ... Brayne, C. (2014). Comorbidity and dementia: a scoping review of the literature. *BMC Medicine*, 12, 192.

Burgio, K. L. (2002). Influence of behavior modification on overactive bladder. *Urology*, 60(5 Suppl 1), 72–76.

Cereda, E., Cilia, R., Klersy, C., Canesi, M., Zecchinelli, A. L., Mariani C. B., ... Pezzoli, G. (2014). Swallowing disturbances in Parkinson's disease: A multivariate analysis of contributing factors. *Parkinsonism and Related Disorders*, 20, 1382–1387.

Chancellor, M., & Boone, T. (2012) Anticholinergics for overactive bladder therapy: central nervous system effects. *CNS Neuroscience and Therapeutics*, 18(2), 167–174.

Chang, C. C., & Roberts, B. L. (2011). Strategies for feeding patients. *American Journal of Nursing*, 111(4), 36–44.

Connolly, B., & Fox, S. H. (2014). Treatment of cognitive, psychiatric, and affective disorders associated with Parkinson's disease. *Neurotherapeutics*, 11(1), 78–91.

Corbett, A., Husebo, B. I., Malcangio, M., Staniland, A., Cohen-Mansfield, J., Aarsland, D., & Ballard, C. (2012). Assessment and treatment of pain in people with dementia. *Nature Reviews Neurology*, 8(5), 264–274.

Cruccu, G., Sommer, C., Anand, P., Attal, N., Baron, R., Garcia-Larrea, L., ... Treede, R. (2010). EFNS guidelines on neuropathic pain assessment: Revised 2009. *European Journal of Neurology*, 17(9), 1010–1018.

Darrow, M. D. (2015). A practical approach to dementia in the outpatient primary care setting. *Primary Care: Clinics in Office Practice*, 42(2), 195–204.

Doughty, D., Junkin, J., Kurz, P., Selekof, J., Gray, M., Fader, M., ... Logan, S. (2012) Incontinence-Associated Dermatitis: Consensus Statements, Evidence-Based Guidelines for Prevention and Treatment, and Current Challenges. *Journal of Wound, Ostomy and Continence Nursing*, 39(3), 303–315.

Drennan, V. M. (2014). Continence care for people with dementia at home. *Nursing Times*, 110(9), 19.

Drennan, V. M., Cole, L., & Iliffe, S. (2011). A taboo within a stigma? A qualitative study of managing incontinence with people with dementia living at home. *BMC Geriatrics*, 11, 75.

Drennan, V. M., Greenwood, N., Cole, L., Fader, M., Grant, R., Rait, G., & Iliffe, S. (2012). Conservative interventions for incontinence in people with dementia or cognitive impairment, living at home: a systematic review. *BMC Geriatrics*, 12, 77.

Drennan, V. M., Rait, G., Cole, L., Grant, R., & Iliffe, S. (2013). The prevalence of incontinence in people with cognitive impairment or dementia living at home: a systematic review. *Neurourology and Urodynamics*, 32, 314–324.

Dufour, A. B., Shaffer, M. L., D'Agata, E. M. C., Habtemariam, D., & Mitchell, S. L. (2015). Survival after suspected urinary tract infection in individuals with advanced dementia. *Journal of the American Geriatrics Society*, *63*, 2472–2477.

Duthie, A., Chew, D., & Soiza, R. L. (2011). Non-psychiatric comorbidity associated with Alzheimer's disease, *QJM*, *104*, 913–920.

Flo, E., Gulla, C., & Husebo, B. S. (2014). Effective pain management in patients with dementia: Benefits beyond pain? *Drugs & Aging*, *31*(12), 863–871.

Foley, N. C., Affoo, R. H., & Martin, R. E. (2015). A systematic review and meta-analysis examining pneumonia-associated mortality in dementia. *Dementia and Geriatric Cognitive Disorders*, *39*, 52–67.

Fox, C., Smith, T., Maidment, I., Hebding, J., Madzima, T., Cheater, F., ... Young, J. (2014). The importance of detecting and managing comorbidities in people with dementia? *Age and Ageing*, *43*, 741–743.

Gerritsen, A. A., Bakker, C., Verhey, F. R., De Vugt, M. E., Melis, R. J., Koopmans, R. T., & the 4C study team. (2016). Prevalence of comorbidity in patients with young-onset Alzheimer disease compared with late-onset: A comparative cohort study. *Journal of the American Medical Directors Association*, *17*(4), 318–323.

Goldman, J. G., & Holden, S. (2014). Treatment of psychosis and dementia in Parkinson's disease. *Current Treatment Options in Neurology*, *16*(3), 281.

Gormley, E. A., Lightner, D. J., Burgio, K. L., Chai, T. C., Clemens, J. Q., Culkin, D. J., ... Vasavada, S. P. (2012). Diagnosis and treatment of overactive bladder (non-neurogenic) in adults: AUA/SUFU guideline. *The Journal of Urology*, *188*(6 Suppl), 2455–2463.

Grant, R. L., Drennan, V. M., Rait, G., Petersen, I., & Iliffe, S. (2013). First diagnosis and management of incontinence in older people with and without dementia in primary care: A cohort study using The Health Improvement Network primary care database. *PLoS Medicine*, *10*(8), e1001505.

Gray, M., Beekman, D., Bliss, D. Z., Fader, M., Logan, S., Junkin, J., ... Kurz, P. (2012). Incontinence-associated dermatitis: A comprehensive review and update. *Journal of Wound Ostomy and Continence Nursing*, *39*(1), 61–74.

Gregory, J. (2015). The complexity of pain assessment in older people. *Nursing Older People*, *27*(8), 16–21.

Gurgu, M., Zamfirescu, A., Rascu, A., Romila, A., Gurgu, H., & Nedelcu, L. (2014). Role of comorbidities in caring for chronically ill elderly patients with and without dementia. *Clujul Medical*, *87*(2), 102.

Hersh, L., & Salzman, B. (2013). Clinical management of urinary incontinence in women. *American Family Physician*, *87*(9), 634–640.

Higashijima, M. (2014). Clinical study of respiratory function and difference in pneumonia history between Alzheimer's disease and vascular dementia. *Journal of Physical Therapy Science*, 26, 1113–1114.

Holroyd, S., & Graham, K. (2014). Prevention and management of incontinence-associated dermatitis using a barrier cream. *British Journal of Community Nursing, Dec(Suppl Wound Care)*, S32–S38.

Hsiao, H. C., Chao, H. C., & Wang, J. J. (2013). Features of problematic eating behaviors among community-dwelling adults with dementia: family caregivers' experience. *Geriatric Nursing*, 34, 361–365.

Hunt, L. J., Covinsky, K. E., Yaffe, K., Stephens, C. E., Miao, Y., Boscardin, W. J., & Smith, A. K. (2015). Pain in community-dwelling older adults with dementia: results from the National Health and Aging Trends Study. *Journal of the American Geriatrics Society*, 63(8), 1503–1511.

Husebo, B. S., Strand, L. I., Moe-Nilssen, R., Borgehusebo, S., Aarsland, D., & Ljunggren, A. E. (2008). Who suffers most? Dementia and pain in nursing home patients: a cross-sectional study. *Journal of the American Medical Directors Association*, 9(6), 427–433.

Idiaquez, J., & Roman, G. C. (2011). Autonomic dysfunction in neurodegenerative dementias. *Journal of the Neurological Sciences*, 305, 22–27.

Inelmen, E. M., Mosele, M., Sergi, G., Toffanello, E. D., Coin, A., & Manzato, E. (2012). Chronic pain in the elderly with advanced dementia. Are we doing our best for their suffering? *Aging Clinical and Experimental Research*, 24(3), 207–212.

Kottner, J., Lichtenfeld, A., & Blume-Peytavi, U. (2013). Maintaining skin integrity in the aged: a systematic review. *British Journal of Dermatology*, 169(3), 528–542.

Kunz, M., Mylius, V., Schepelmann, K., & Lautenbacher, S. (2015). Loss in executive functioning best explains changes in pain responsiveness in patients with dementia-related cognitive decline. *Behavioural Neurology*, 2015, 1–7. [doi:10.1155/2015/878157](https://doi.org/10.1155/2015/878157)

Kurrle, S., Brodaty, H., & Hogarth, R. (2012). *Physical Comorbidities of Dementia*. New York: Cambridge University Press.

Lichtner, V., Dowding, D., & Closs, S. J. (2015). The relative meaning of absolute numbers: the case of pain intensity scores as decision support systems for pain management of patients with dementia. *BMC Medical Informatics and Decision Making*, 15(1), 111.

Lichtner, V., Dowding, D., Esterhuizen, P., Closs, S. J., Long, A. F., Corbett, A., & Briggs, M. (2014). Pain assessment for people with dementia: a systematic review of systematic reviews of pain assessment tools. *BMC Geriatrics*, 14, 138. [doi:10.1186/1471-2318-14-138](https://doi.org/10.1186/1471-2318-14-138)

Lobbezoo, F., Weijenberg, R. A., & Scherder, E. J. (2011). Topical review: orofacial pain in dementia patients. A diagnostic challenge. *Journal of Orofacial Pain*, 25(1), 6–14.

Malara, A., De Biase, G. A., Bettarini, F., Ceravolo, F., Di Cello, S., Garo, M., ... Rispoli V. (2016). Pain assessment in elderly with behavioral and psychological symptoms of dementia. *Journal of Alzheimers Disease*, 50(4), 1217–1225.

Manabe, T., Mizukami, K., Akatsu, H., Teramoto, S., Yamaoka, K., Nakamura, S., ... Hizawa, N. (2015). Influence of pneumonia complications on the prognosis of patients with autopsy-confirmed Alzheimer's disease, dementia with Lewy bodies, and vascular dementia. *Psychogeriatrics*. Advance online publication. doi: 10.1111/psyg.12163.

Martin-Garcia, S., Rodriguez-Blazquez, C., Martinez-Lopez, I., Martinez-Martin, P., & Forjaz, M. J., on behalf of the Spanish Research Group on Quality of Life and Aging. (2013). Comorbidity, health status, and quality of life in institutionalized older people with and without dementia. *International Psychogeriatrics*, 25(7), 1077–1084.

Mitchell, S. L., Miller, S. C., Teno, J. M., Davis, R. B., & Shaffer, M. L. (2010). The Advanced Dementia Prognostic Tool (ADEPT): A risk score to estimate survival in nursing home residents with advanced dementia. *Journal of Pain and Symptom Management*, 40(5), 639–651.

Mitchell, S. L., Shaffer, M. L., Loeb, M. B., Givens, J. L., Habtemariam, D., Kiely, D. K., & D'Agata, E. (2014). Infection management and multidrug-resistant organisms in nursing home residents with advanced dementia. *JAMA Internal Medicine*, 74(10), 1660–1667.

National Institute of Neurological Disorders and Stroke & National Institute on Aging, U.S. National Institutes of Health. (2013). *The dementias: Hope through research*. Bethesda, MD: National Institutes of Health. Retrieved from <https://www.nia.nih.gov/alzheimers/publication/dementias/introduction>

Neville, C., & Ostini, R. (2014). A psychometric evaluation of three pain rating scales for people with moderate to severe dementia. *Pain Management Nursing*, 15(4), 798–806.

Orme, S., Morris, V., Gibson, W., & Wagg, A. (2015). Managing urinary incontinence in patients with dementia: pharmacological treatment options and considerations. *Drugs & Aging*, 32(7), 559–567.

Ortman, J. M., Victoria A. Velkoff, V. A., & Hogan H. (2014). *An Aging Nation: The Older Population in the United States* (Current Population Reports, P25-1140). U.S. Census Bureau, Washington, DC.

Payne, D. (2015) Selecting appropriate absorbent products to treat urinary incontinence. *British Journal of Community Nursing*, 20(11), 551–558.

Poblador-Plou, B., Calderón-Larrañaga, A., Marta-Moreno, J., Hanco-Saavedra, J., Sicras-Mainar, A., Soljak, M., & Prados-Torres, A. (2014). Comorbidity of dementia: a cross-sectional study of primary care older patients. *BMC Psychiatry*, 14, 84.

- Regan, A., Colling, J., & Tapley, M. (2015). Pain management: a fundamental component of dementia care. *Nursing Standard*, 30(9), 43–50.
- Ridda, I., Dastouri, F., King, C., Yin, J., Tashani, M., & Rashid, H. (2014). Vaccination of older adults with dementia against respiratory infections. *Infectious Disorders Drug Targets*, 14(2), 133–139.
- Rohwer, K., Bliss, D. Z., & Savik, K. (2013). Incontinence-associated dermatitis in community-dwelling individuals with fecal incontinence. *Journal of Wound Ostomy & Continence Nursing*, 40(2), 181–184.
- Saga, S., Vinsnes, A. G., Mørkved, S., Norton, C., & Seim, A. (2013). Prevalence and correlates of fecal incontinence among nursing home residents: a population-based cross-sectional study. *BMD Geriatrics*, 13, 87.
- Salcido, R. (2011). Neurourologic and structural determinants of incontinence: a major pressure ulcer risk factor. Editorial. *Advances in Skin & Wound Care*, 24(3), 106–107.
- Shah, B. J., Chokhavatia, S., & Rose, S. (2012). Fecal incontinence in the elderly: FAQ. *The American Journal of Gastroenterology*, 107, 1635–1646.
- Siniscalchi, A., Gallelli, L., De Sarro, G., Malferrari, G., & Santangelo, E. (2012). Antiepileptic drugs for central post-stroke pain management. *Pharmacological Research*, 65(2), 171–175.
- Slaughter, S. E., & Hayduk, L. A. (2012). Contributions of environment, comorbidity, and stage of dementia to the onset of walking and eating disability in long-term care residents. *Journal of the American Geriatrics Society*, 60(9), 1624–1631.
- Smith, A. L., & Wein, A. J. (2012). Contemporary management of overactive bladder. *Postgraduate Medicine*, 124, 104–116.
- Smith, T., Maidment, I., Hebding, J., Madzima, T., Cheater, F., Cross, J., ... Fox, C. (2014). Systematic review investigating the reporting of comorbidities and medication in randomized controlled trials of people with dementia. *Age and Ageing*, 43, 868–872.
- Van der Steen, J. T., Lane, P., Kowall, N. W., Knol, D. L., & Volicer, L. (2012). Antibiotics and mortality in patients with lower respiratory infection and advanced dementia. *Journal of the American Medical Directors Association*, 13, 156–161.
- Vassilaki, M., Aakre, J. A., Cha, R. H., Kremers, W. K., St. Sauver, J. L., Mielke, M. M., ... Roberts, R. O. (2015). Multimorbidity and risk of mild cognitive impairment. *Journal of the American Geriatrics Society*, 63(9), 1783–1790.
- Weintraub, D., David, A. S., Evans, A. H., Grant, J. E., & Stacy, M. (2015). Clinical spectrum of impulse control disorders in Parkinson's disease. *Journal of Movement Disorders*, 30(2), 121–127.

Module 7 Additional Reading Materials

Abe, K., Yamashita, T., Hishikawa, N., Ohta, Y., Deguchi, K., Sato, K., Matsuzono, K., ... Takao, Y. (2015). A new simple score (ABS) for assessing behavioral and psychological symptoms of dementia. *Journal of the Neurological Sciences*, 350(1–2), 4–17.

Ahlskog, J. E. (2011). Does vigorous exercise have a neuroprotective effect in Parkinson disease? *Neurology*, 77(3), 288–294.

Alzheimer's Association. (n.d.). *Vascular dementia*. Retrieved from <http://www.alz.org/dementia/vascular-dementia-symptoms.asp>

Arcand, M. (2015a). End-of-life issues in advanced dementia: Part 1: goals of care, decision-making process, and family education. *Canadian Family Physician*, 61, 330–334.

Arcand, M. (2015b). End-of-life issues in advanced dementia: Part 2: management of poor nutritional intake, dehydration, and pneumonia. *Canadian Family Physician*, 61(4), 337–341.

Arnulf, I. (2012). REM sleep behavior disorder: motor manifestations and pathophysiology. *Movement Disorders*, 27(6), 677–689.

Averbeck, M. A., Altaweel, W., Manu-Marin, A., & Madersbacher, H. (2015). Management of LUTS in patients with dementia and associated disorders. *Neurourology and Urodynamics*. Advance online publication. doi: 10.1002/nau.22928

Azermai, M. (2015). Dealing with behavioral and psychological symptoms of dementia: A general overview. *Psychology Research and Behavior Management*, 8, 181–185.

Bail, K., Berry, H., Grealish, L., Draper, B., Karel, R., Gibson, D., & Peut, A. (2013). Potentially preventable complications of urinary tract infections, pressure areas, pneumonia, and delirium in hospitalized dementia patients: retrospective cohort study. *BMJ Open*, 3, e002770.

Bombois, S., Derambure, P., Pasquier, F., & Monaca, C. (2010). Sleep disorders in aging and dementia. *Journal of Nutrition, Health & Aging*, 14(3), 212–217.

Boot, B. P. (2015). Comprehensive treatment of dementia with Lewy bodies. *Alzheimer's Research & Therapy*, 7, 5.

Breitve, M. H., Chwiszczuk, L. J., Hynninen, M. J., Rongve, A., Brønnick, K., Janvin, C., & Aarsland, D. (2014). A systematic review of cognitive decline in dementia with Lewy bodies versus Alzheimer's disease. *Alzheimer's Research and Therapy*, 6(5), 53.

Brown, C. A., Wielandt, P., Wilson, D., Jones, A., & Crick, K. (2014). Healthcare providers' knowledge of disordered sleep, sleep assessment tools, and nonpharmacological sleep interventions for persons living with dementia: A national survey. *Sleep Disorders, 14*, 1–9. [doi: 10.1155/2014/286274](https://doi.org/10.1155/2014/286274).

Bursle, E. C., Dyer, J., Looke, D. F., McDougall, D. A., Paterson, D. L., & Playford, E. G. (2015). Risk factors for urinary catheter associated bloodstream infection. *Journal of Infection, 70*(6), 585–591.

Chen, X., Mao, G., & Leng, S. X. (2014). Frailty syndrome: An overview. *Clinical Interventions in Aging, 9*, 433–441.

Cipriani, G., Lucetti, C., Danti, S., & Nuti, A. (2015). Sleep disturbances and dementia. *Psychogeriatrics, 15*(1), 65–74.

Clodomiro, A., Gareri, P., Puccio, G., Frangipane, F., Lacava, R., Castagna, A., ... Bruni, A.C. (2013). Somatic comorbidities and Alzheimer's disease treatment. *Neurological Sciences, 34*, 1581–1589.

Cohen-Mansfield, J. (2013). Nonpharmacologic treatment of behavioral disorders in dementia. *Current Treatment Options in Neurology, 15*(6), 765–785.

Cohen-Mansfield, J., Marx, M., Dakheel-Ali, M., & Thein, K. (2015). The use and utility of specific nonpharmacological interventions for behavioral symptoms in dementia: An exploratory study. *American Journal of Geriatric Psychiatry, 23*(2), 160–170.

Daulatzai, M. A. (2015). Evidence of neurodegeneration in obstructive sleep apnea: Relationship between obstructive sleep apnea and cognitive dysfunction in the elderly. *Journal of Neuroscience Research 93*(12), 1778–1794.

David, R., Zeitzer, J., Friedman, L., Noda, A., O'Hara, R., Robert, P., & Yesavage, J. A. (2010). Non-pharmacologic management of sleep disturbance in Alzheimer's disease. *Journal of Nutrition, Health & Aging, 14*(3), 203–206.

Desai, A. K., Schwartz, L., & Grossberg, G. T. (2012). Behavioral disturbance in dementia. *Current Psychiatry Reports, 14*(4), 298–309.

Dobbs, B. M., & Shergill, S. S. (2013). How effective is the Trail Making Test (Parts A and B) in identifying cognitively impaired drivers? *Age and Ageing, 42*(5), 577–581.

Edvardsson, D., Petersson, L., Sjogren, K., Lindkvist, M., & Sandman, P. O. (2014). Everyday activities for people with dementia in residential aged care: Associations with person-centredness and quality of life. *International Journal of Older People Nursing, 9*(4), 269–276.

Factora, R. (2013). *Aging and preventive health: role of frailty in preventive health*.

Retrieved from

<http://www.clevelandclinicmeded.com/medicalpubs/diseasemanagement/preventive-medicine/aging-preventive-health/>

Faulk, S., Edwards, L., Sumrall, K., Shelton, T., Esalomi, T., Payton, C., ... Dolbow, D. R. (2014). Benefits of physical activity on Alzheimer's disease: A literature review. *Clinical Kinesiology*, 68(3), 19–24.

Ferman, T. J., Smith, G. E., Dickson, D. W., Graff-Radford, N. R., Lin S-C., Wszolek, Z., ... Boeve, B. F. (2014). Abnormal daytime sleepiness in dementia with Lewy bodies compared to Alzheimer's disease using the Multiple Sleep Latency Test. *Alzheimer's Research & Therapy*, 6(9), 76.

Ferrazzoli, D., Sica, F., & Sancesario, G. (2013). Sundowning syndrome: A possible marker of frailty in Alzheimer's disease? *CNS & Neurological Disorders Drug Targets*, 12(4), 525–528.

Forbes, D., Forbes, S. C., Blake, C. M., Thiessen, E. J., & Forbes, S. (2015). Exercise programs for people with dementia. *Cochrane Database of Systematic Reviews*, 2015, CD006489. doi: [10.1002/14651858.CD006489.pub3](https://doi.org/10.1002/14651858.CD006489.pub3)

Gallo, J. L., Schmidt, K. S., & Libon, D. J. (2009). An itemized approach to assessing behavioral and psychological symptoms in dementia. *American Journal of Alzheimer's Disease and Other Dementias*, 24(2), 163–168.

Gitlin, L. N., Kales, H. C., & Lyketsos, C. G. (2012). Managing behavioral symptoms in dementia using nonpharmacologic approaches: An overview. *JAMA*, 308(19), 2020–2029.

Goodman R.A., Lochner K.A., Thambisetty M., Wingo T.S., Posner S.F., & Ling S.M. (2017). Prevalence of dementia subtypes in United States Medicare fee-for-service beneficiaries, 2011-2013. *Alzheimers Dementia*, 13(1): 28-37. doi: 10.1016/j.jalz.2016.04.002. Epub 2016 May 10. PMID: 27172148

Gorelick, P. B., & Nyenhuis, D. (2013). Understanding and treating vascular cognitive impairment. *Continuum (Minneapolis Minn)*, 19(2), 425–437.

Gray, S. L., Anderson, M. L., Hubbard, R. A., LaCroix, A., Crane, P. K., McCormick, W., ... Larson, E. B. (2013). Frailty and incident dementia. *The Journals of Gerontology Series A: Biological Sciences and Medical Sciences*, 68(9), 1083–1090.

Guarnieri, B., & Sorbi, S. (2015). Sleep and cognitive decline: A strong bidirectional relationship. It is time for specific recommendations on routine assessment and the management of sleep disorders in patients with mild cognitive impairment and dementia. *European Journal of Neurology*, 74(1–2), 43–48.

Guarnieri, B., Musicco, M., Caffarra, P., Adorni, F., Appollonio, I., Arnaldi, D., ... Sorbi, S. (2014). Recommendations of the Sleep Study Group of the Italian Dementia Research Association (SINDem) on clinical assessment and management of sleep disorders in individuals with mild cognitive impairment and dementia: a clinical review. *Neurological Sciences*, 35(9), 1329–1348.

Hagglund, D. (2010). A systematic literature review of incontinence care for persons living with dementia: the research evidence. *Journal of Clinical Nursing, 19*, 303–312.

Hagglund, D. (2010). A systematic literature review of incontinence care for persons living with dementia: the research evidence. *Journal of Clinical Nursing, 19*, 303–312.

Honda, K., Hashimoto, M., Yatabe, Y., Kaneda, K., Yuki, S., Ogawa, Y., ... Ikeda, M. (2013). The usefulness of monitoring sleep talking for the diagnosis of dementia with Lewy bodies. *International Psychogeriatrics, 25*(5), 851–858.

Kales, H. C., Gitlin, L. N., & Lyketsos, C. G. (2015). Assessment and management of behavioral and psychological symptoms of dementia. *BMJ, 350*, 369.

Kalisch Ellett, L. M., Pratt, N. L., Barratt, J. D., Rowett, D., & Roughead, E. E. (2014). Risk of medication-associated initiation of oxybutynin in elderly men and women. *Journal of the American Geriatrics Society, 62*(4), 690–695.

Kar, N. (2009). Behavioral and psychological symptoms of dementia and their management. *Indian Journal of Psychiatry, 51*(Suppl1), S77–S86.

Keating, N., & Gaudet, N. (2012). Quality of life of persons living with dementia. *Journal of Nutrition, Health & Aging, 16*(5), 454–456.

Kröger, E., van Marum, R., Souverein, P., Carmichael, P. H., & Egberts, T. (2011). Does treatment with cholinesterase inhibitors increase the risk of urinary incontinence among older persons in the community? A database study from the Netherlands. *Journal of Population Therapeutics and Clinical Pharmacology, 18*(2), e297–e298. (abstract 40).

Kumar, P., Tiwari, S. C., Goel, A., Sreenivas, V., Kumar, N., Tripathi, R. K., ... Dey, A. B. (2014). Novel occupational therapy interventions may improve quality of life in older adults with dementia. *International Archives of Medicine, 7*, 26.

Kyle, G. (2013). An insight into continence management in patients with dementia. *British Journal of Community Nursing, 17*(3), 125–129.

Lee, D. R., Taylor, J. P., & Thomas, A. J. (2012). Assessment of cognitive fluctuation in dementia: A systematic review of the literature. *International Journal of Geriatric Psychiatry, 27*(10), 989–998.

Lewy Body Dementia Association. (n.d.). *10 things you should know about Lewy body dementia*. Retrieved from <https://www.lbda.org/content/10-things-you-should-know-about-lbd>

Manni, R., & Terzaghi, M. (2015). Sleep-disordered breathing in dementia with Lewy bodies. *Current Neurology and Neuroscience Reports, 15*, 7.

Manni, R., Terzaghi, M., Ratti, P-L., Repetto, A., Zangaglia, R., & Pacchetti, C. (2011). Hallucinations and REM sleep behavior disorder in Parkinson's disease: dream imagery intrusions and other hypotheses. *Consciousness and Cognition, 20*, 1021–1026.

Man-Son-Hing, M., Marshall, S. C., Molnar, F. J., & Wilson, K. G. (2007). Systematic review of driving risk and the efficacy of compensatory strategies in persons living with dementia. *Journal of the American Geriatrics Society*, 55(6), 878–884.

Mayo Clinic. (n.d.). *Lewy body dementia*. Retrieved from <http://www.mayoclinic.org/diseases-conditions/lewy-body-dementia/basics/symptoms/CON-20025038>.

McCleery, J., Cohen, D. A., & Sharpley, A. L. (2014). Pharmacotherapies for sleep disturbances in Alzheimer's disease. *Cochrane Database of Systematic Reviews*, 2014(3), CD009178. doi: 10.1002/14651858.CD009178.pub2

Mioshi, E., Hsieh, S., Savage, S., Hornberger, M., & Hodges, J. R. (2010). Clinical staging and disease progression in frontotemporal dementia. *Neurology*, 74(20), 1591–1597.

Mitchell, S. L. (2015). Advanced dementia. *New England Journal of Medicine*, 372(26), 2533–2540.

Mitchell, S. L., Kiely, D. K., Jones, R. N., Prigerson, H., Volicer, L., & Teno, J. M. (2006.) Advanced dementia research in the nursing home: The CASCADE study. *Alzheimer Disease & Associated Disorders*, 20(3), 166–175.

National Institute on Aging, National Institutes of Health. (2014). *Frontotemporal disorders: Information for patients, families, and caregivers*. Retrieved from <https://www.nia.nih.gov/alzheimers/publication/frontotemporal-disorders/introduction>

National Institute on Aging, National Institutes of Health. (2015a). *Lewy body dementia: Information for patients, families, and professionals*. Retrieved from <https://www.nia.nih.gov/alzheimers/publication/lewy-body-dementia/introduction>

National Institute on Aging, National Institutes of Health. (2015b). Medicines to treat AD symptoms and behaviors. In *Caring for a person with Alzheimer's disease: Your easy-to-use guide from the National Institute on Aging* (pp. 72–77). Retrieved from <https://www.nia.nih.gov/alzheimers/publication/medical-side-ad/medicines-treat-ad-symptoms-and-behaviors>

Ni Mhaolain, A. M., Gallagher, D., Crosby, L., Ryan, D., Lacey, L., Coen, R. F., ... Lawlor, B. (2012). Frailty and quality of life for people with Alzheimer's dementia and mild cognitive impairment. *American Journal Alzheimer's Disease and Other Dementias*, 27(1), 48–54.

Nordgren, L., & Engstrom, G. (2014). Animal-assisted intervention in dementia: Effects on quality of life. *Clinical Nursing Research*, 23(1), 7–19.

Ortigara, A., & McLean, R. S. (2013). Seeing the person first: Living with moderate-stage dementia. *Generations: Journal of the American Society on Aging*, 37(3), 66–69.

Peter-Derex, L., Yammine, P., Bastuji, H., & Croisile, B. (2015). Sleep and Alzheimer's disease. *Sleep Medicine Review*, 19, 29–38.

Phillips, C., Baktir, M. A., Das, D., Lin, B., & Salehi, A. (2015). The link between physical activity and cognitive dysfunction in Alzheimer disease. *Physical Therapy, 95*(7), 1046–1060.

Piguet, O., Hornberger, M., Mioshi, E., & Hodges, J. R. (2011). Behavioural-variant frontotemporal dementia: Diagnosis, clinical staging, and management. *Lancet Neurology, 10*(2), 162–172.

Postuma, R. B., Gagnon, J-F., & Montplaisir, J. Y. (2012). REM sleep behavior disorder: from dreams to neurodegeneration. *Neurobiology of Disease, 46*, 553–558.

Raggi, A., Neri, W., & Ferri, R. (2015). Sleep-related behaviors in Alzheimer's disease and dementia with Lewy bodies. *Reviews in the Neurosciences, 26*(1), 31–38.

Resnick, N. M., & Yalla, S. V. (1985). Management of urinary incontinence in the elderly. *New England Journal of Medicine, 313*, 800–804.

Roh, J. H., & Lee, J. H. (2014). Recent updates on subcortical ischemic vascular dementia. *Journal of Stroke, 16*(1), 18–26. Retrieved from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3961819/>.

Rongve, A., Vossius, C., Nore, S., Testad, I., & Aarsland, D. (2014). Time until nursing home admission in people with mild dementia: comparison of Lewy body dementia and Alzheimer's disease. *International Journal of Geriatric Psychiatry, 29*(4), 392–398.

Sahathevan, R., Brodtmann, A., & Donnan, G. A. (2012). Dementia, stroke, and vascular risk factors: A review. *International Journal of Stroke, 7*(1), 61–73.

Smit, D., de Lange, J., Willemse, B., Twisk, J., & Pot, A. M. (2016). Activity involvement and quality of life of people at different stages of dementia in long-term care facilities. *Ageing & Mental Health, 20*(1), 100–109.

Trahan, M. A., Kuo, J., Carlson, M. C., & Gitlin, L. N. (2014). A systematic review of strategies to foster activity engagement in persons living with dementia. *Health Education and Behavior, 41*(1 Suppl), S70–S83.

Van der Linde, R. M., Denning, T., Matthews, F. E., & Brayne, C. (2014). Grouping of behavioral and psychological symptoms of dementia. *International Journal of Geriatric Psychiatry, 29*(6), 562–568.

Vaucher, P., Herzig, D., Cardoso, I., Herzog, M. H., Mangin, P., & Favrat, B. (2014). The trail making test as a screening instrument for driving performance in older drivers; a translational research. *BMC Geriatrics, 14*, 123.

Weintraub, D., David, A. S., Evans, A. H., Grant, J. E., & Stacy, M. (2015). Clinical spectrum of impulse control disorders in Parkinson's disease. *Journal of Movement Disorders, 30*(2), 121–127.

Woods, B., Aguirre, E., Spector, A. E., & Orrell, M. (2012). Cognitive stimulation to improve cognitive functioning in people with dementia. *Cochrane Database of Systematic Reviews*, 2012(2), CD005562. doi: [10.1002/14651858.CD005562.pub2](https://doi.org/10.1002/14651858.CD005562.pub2).

Yevchak, A. M., Steis, M. R., & Evans, L. K. (2012). Sundown syndrome: A systematic review of the literature. *Research in Gerontological Nursing*, 5(4), 294–303.

Module 7 Resources

File of Life

<http://folife.org/>

Vial of Life

<http://www.vialoflife.com/>