

Dementia Curriculum for Health Care Professionals

Module 4: References

Providing and Discussing a Dementia Diagnosis with Persons Living with Dementia (PLwD) and Their Care Partners



Module 4 References

- Aminzadeh, F., Molnar, F. J., Dalziel, W. B., & Ayotte, D. (2012). A review of barriers and enablers to diagnosis and management of persons with dementia in primary care. *Canadian Geriatric Journal*, 15(3), 85–94.
- Appelbaum, P.S. & Grisso, T. (1988) Assessing patients' capacities to consent to treatment. *New England Journal of Medicine*. 319(25):1635-1638.
- Bakker, C., de Vugt, M. E., van Vliet, D., Verbey, F., Pijnenburg, Y. A., Vernooij-Dassen, M. J., & Koopmans, R. T. (2014). Unmet needs and health-related quality of life in young-onset dementia. *American Journal of Geriatric Psychiatry*, 22(11), 1121–1130.
- Beusterien, K. M., Thomas, S. K., Gause, D., [Kimel, M.](#), [Arcona, S.](#), & [Mirski, D.](#) (2004). Impact of rivastigmine use on the risk of nursing home placement in a US sample. *CNS Drugs*, 18(15), 1143–1148.
- Black, B. S., Johnston, D., Morrison, A., Rabins, P. V., Lyketsos, C. G., & Samus, Q. M. (2012). Quality of life of community-residing persons with dementia based on self-rated and caregiver-rated measures. *Quality of Life Research*, 21(8), 1379–1389.
- Boise, L., Camicioli, R., Morgan, D. L., [Rose, J. H.](#), & [Congleton, L.](#) (1999). Diagnosing dementia: perspectives of primary care physicians. *Gerontologist*, 39(4), 457–464.
- Bunn, F., Goodman, C., Sworn, K., Rait, G., Brayne, C., Robinson, L., McNeilly, E., & Iliffe, S. (2012). Psychosocial factors that shape patient and carer experiences of dementia diagnosis and treatment: A systematic review of qualitative studies. *PLoS Med*, 9(10), e1001331.
- Carter, R. E., Rose, D. A., Palesch, Y. Y., & Mintzer, J. E. (2004). Alzheimer's disease in the family practice setting: Assessment of a screening tool. *Primary Care Companion to Journal of Clinical Psychiatry*, 6(6), 234–238.
- Centers for Disease Control and Prevention. (2003, April 11). *HIPAA privacy rule and public health: Guidance from CDC and the U.S. Department of Health and Human Services*. Retrieved from <http://www.cdc.gov/mmwr/preview/mmwrhtml/m2e411a1.htm>
- Clare L. *Neuropsychological rehabilitation and people with dementia*. Hove: Psychology Press; 2008.
- Cosentino, S., Metcalfe, J., Cary, M.S., De Leon, J., & Karlawish, J. (2011). Memory awareness influences everyday decision making capacity about medication management in Alzheimer's disease. *International Journal of Alzheimer's Disease*, 1022, 483897.
- Covinsky, K. E., Newcomer, R., Fox, P., [Wood, J.](#), [Sands, L.](#), [Dane, K.](#), & [Yaffe, K.](#) (2003). Patient and caregiver characteristics associated with depression in caregivers of patients with dementia. *Journal of General Internal Medicine*, 18(12), 1006–1014.
- Cummings, J. L., Schneider, L., Tariot, P. N., Kershaw, P. R., & Yuan, W. (2004). Reduction of behavioral disturbances and caregiver distress by galantamine in patients with Alzheimer's disease. *American Journal of Psychiatry*, 161(3), 532–538.

Dastidar, J. G., & Odden, A. (2011, August). *How do I determine if my patient has decision-making capacity?* Retrieved from <https://www.the-hospitalist.org/hospitalist/article/124731/how-do-i-determine-if-my-patient-has-decision-making-capacity>

Dhedhi, S. A., Swinglehurst, D., & Russell, J. (2014). “Timely” diagnosis of dementia: What does it mean? A narrative analysis of GPs’ accounts. *BMJ Open*, 4(3), e004439.

Doody, R. S., Stevens, J. C., Beck, C., [Dubinsky, R. M.](#), [Kaye, J. A.](#), [Gwyther, L.](#), ... & [Cummings, J. L.](#) (2001). Practice parameter: Management of dementia (an evidence-based review)—Report of the Quality Standards Subcommittee of the American Academy of Neurology. *Neurology*, 59(9), 1154–1166.

Dubois, B., Padovani, A., Scheltens, P., Rossi, A., & Dell’Agnello, G. (2015). Timely diagnosis for Alzheimer’s disease: A literature review on benefits and challenges. *Journal of Alzheimer’s Disease*, 49(3), 617–631.

Elson, P. (2006). Do older adults presenting with memory complaints wish to be told if later diagnosed with Alzheimer’s disease? *International Journal of Geriatric Psychiatry*, 21(5), 419–425.

Fisk, J. D., Beattie, B. L., Donnelly, M., Byszewski, A., & Molnar, F. J. (2007). Disclosure of the diagnosis of dementia. *Alzheimer’s & Dementia*, 3(4), 404–410.

Fowler, N. R., Frame, A., Perkins, A. J., Gao, S., Watson, D. P., Monahan, P., & Boustani, M. A. (2015). Traits of patients who screen positive for dementia and refuse diagnostic assessment. *Alzheimer’s & Dementia (Amsterdam)*, 1(2), 236–241.

Fowler, N.R., Perkins, A.J., Turchan, H.A., Frame, A., Monahan, P., Gao, S., & Boustani, M.A. (2015). Older primary care patients’ attitudes and willingness to screen for dementia. *Journal of Aging Research*, 2015, Article ID 423265.

Gattman, R., & Seleski, M. (Eds.). (1999). *Diagnosis, management and treatment of dementia: A practical guide for physicians*. Chicago, IL: American Medical Association.

Geldmacher, D. S., Frolich, L., Doody, R. S., [Erkinjuntti, T.](#), [Vellas, B.](#), [Jones, R. W.](#), ... & [Sano, M.](#) (2006). Realistic expectations for treatment success in Alzheimer’s disease. *Journal of Nutrition and Health in Aging*, 10(5), 417–429.

Geldmacher, D. S., Provenzano, G., McRae, T., [Mastey, V.](#), & [Ieni, J. R.](#) (2003). Donepezil is associated with delayed nursing home placement in patients with Alzheimer’s disease. *Journal of the American Geriatric Society*, 51(7), 937–944.

Gitlin, L. N., Belle S. H., Burgio L. D., Czaja, S. J., Mahoney D., Gallagher-Thompson D., ... & REACH Investigators. (2003). Effect of multi-component interventions on caregiver burden and depression: The REACH multi-site initiative at 6 months follow-up. *Psychology and Aging*, 18, 361–374.

Goodman R.A., Lochner K.A., Thambisetty M., Wingo T.S., Posner S.F., & Ling S.M. (2017). Prevalence of dementia subtypes in United States Medicare fee-for-service beneficiaries, 2011-2013. *Alzheimers Dementia*, 13(1): 28-37. doi: 10.1016/j.jalz.2016.04.002. Epub 2016 May 10. PMID: 27172148

Grossberg, G. T., Christensen, D. D., Griffith, P. A., Kerwin, D. R., Hunt, G., & Hall, E. J. (2010). The art of sharing the diagnosis and management of Alzheimer’s disease with

patients and caregivers: Recommendations of an expert consensus panel. *Primary Care Companion to Journal of Clinical Psychiatry*, 12(1), PCC.09cs00833. doi: [10.4088/PCC.09cs00833oli](https://doi.org/10.4088/PCC.09cs00833oli)

Guo, Z., Levy, B. R., Hinton, W. L., Weitzman, P. F., & Levkoff, S. (2000). The power of labels: recruiting dementia affected Chinese-American elders and their caregivers. *Journal of Mental Health & Aging*, 6, 103–112.

Hinton, L. Chambers, D., Velasquez, A., Gonzalez, H. & Haan, M. (2006). Dementia neuropsychiatric symptom severity, help-seeking patterns and family caregiver unmet needs in the Sacramento Area Latino Study on Aging (SALSA). *Clinical Gerontologist*, 29(4), 1–15.

Hinton, L., Franz, C. E., Yeo, G., & Levkoff, S. (2005). Conceptions of dementia in a multi-ethnic sample of family caregivers. *Journal of the American Geriatrics Society*, 53(8), 1405–1410.

Holmes, S. B., & Adler, D. (2005). Dementia care: Critical interactions among primary care physicians, patients, and caregivers. *Primary Care*, 2005323, 671–682.

Karlawish J. (2008). Measuring decision-making capacity in cognitive impaired individuals. *Neurosignals*, 16, 91–98.

Kim, S. Y., Karlawish, J. H., Kim, H. M., Wall, I. F., Bozoki, A. C., & Appelbaum, P. S. (2011). Preservation of the capacity to appoint a proxy decision maker: Implications for dementia research. *Archives of General Psychiatry*, 68(2), 214–220.

Lecouturier, J., Bamford, C., Hughes, J. C., Francis, J. J., Foy, R., Johnston, M., & Eccles, M. P. (2008). Appropriate disclosure of a diagnosis of dementia: Identifying the key behaviours of “best practice.” *BMC Health Services Research*, 8(1), 95.

MacRae, H. (2010). Managing identity while living with Alzheimer’s disease. *Quality Health Research*, 20, 293–305.

Markowitz, J. S., Gutterman, E. M., Sadik, K., & Papadopoulos, G. (2003). Health-related quality of life for caregivers of patients with Alzheimer disease. *Alzheimer’s Disease and Associated Disorders*, 17(4), 209–214.

Min, A. A., Spear-Ellinwood, K., Berman, M., Nisson, P., & Rhodes, S. M. (2016). Social worker assessment of bad news delivery by emergency medicine residents: a novel direct-observation milestone assessment. *Internal and Emergency Medicine*. Advance online publication. doi: [10.1007/s11739-016-1405-y](https://doi.org/10.1007/s11739-016-1405-y)

National Institute on Aging. (2016 April). *Talking with patients about cognitive problems*. Retrieved from <https://www.nia.nih.gov/health/talking-older-patients-about-cognitive-problems>

National Task Group on Intellectual Disabilities and Dementia Practice. (2012). ‘My Thinker’s Not Working’: A National Strategy for Enabling Adults with Intellectual Disabilities Affected by Dementia to Remain in Their Community and Receive Quality Supports. Accessed from www.aadmd.org/ntg/thinker

Orgeta, V., Orrell, M., Hounsome, B., Woods, B., & the REMCARE team. (2015). Self and carer perspectives of quality of life in dementia using the QoL-AD. *International Journal of Geriatric Psychiatry*, 30, 97–104.

Ortman, J. M., Victoria A. Velkoff, V. A., & Hogan H. (2014). *An Aging Nation: The Older Population in the United States (Current Population Reports, P25-1140)*. Washington, DC: U.S. Census Bureau.

Ouimet, M. A., Dendukuri, N., Dion, D., [Beizile, E.](#), & [Elie, M.](#) (2004). Disclosure of Alzheimer's disease: Senior citizen's opinions. *Canadian Family Physician, 50*, 1671–1677.

Phillips, J., Pond, C. D., Paterson, N. E., Howell, C., Shell, A., Stocks, N. P.,...& Marley, J. E. (2012). Difficulties in disclosing the diagnosis of dementia: A qualitative study in general practice. *British Journal of General Practice, 62*(601), e546–e553.

Psota, G. (2015). Social psychiatric aspects of dementia. *Psychiatria Danubina, 27*(4), 432–438.

Robinson, S. M., Canavan, M., & O'Keeffe, S. T. (2014). Preferences of older people for early diagnosis and disclosure of Alzheimer's disease (AD) before and after considering potential risks and benefits. *Archives of Gerontology and Geriatrics, 59*(3), 607–612.

Shinagawa, S., Catindig, J. A., Block, N. R., Miller, B. L., & Rankin, K. P. (2016). When a little knowledge can be dangerous: False-positive diagnosis of behavioral variant frontotemporal dementia among community clinicians. *Dementia and Geriatric Cognitive Disorders, 41*(1–2), 99–108.

Spiegel, W., Zidek, T., Maier, M., Vutuc, C., Isak, K., [Karlic, H.](#), & [Micksche, M.](#) (2009). Breaking bad news to cancer patients: survey and analysis. *Psycho-oncology, 18*(2), 179–86.

Steehan, E., Godderis, J., Grypdonck, M., De Bal, N., & Dierckx de Casterle, B. (2007). Living with dementia from the perspective of older people: Is it a positive story? *Aging and Mental Health, 11*, 119–130.

Stokes, L. A., Combes, H., & Stokes, G. (2014). Understanding the dementia diagnosis: The impact on the caregiving experience. *Dementia (London), 13*(1), 59–78.

Tunzi, M. (2001). Can the patient decide? Evaluating patient capacity in practice. *American Family Physician, 64*(2):299-306.

Turnbull, Q., Wolf, A. M., & Holroyd, S. (2003). Attitudes of elderly subjects toward "truth telling" for the diagnosis of Alzheimer's disease. *Journal of Geriatric Psychiatry and Neurology, 16*(2), 90–93.

Van den Dungen, P., van Kuijk, L., van Marwijk, H., van der Wouden, J., van Charante, E. M., van der Horst, H., & van Hout, H. (2014). Preferences regarding disclosure of a diagnosis of dementia: A systematic review. *International Psychogeriatrics, 25*(10), 1603–1618.

Wald, C., Fahy, M., Walker, Z., & Livingston, G. (2003). What to tell dementia caregivers: The rule of threes. *International Journal of Geriatric Psychiatry, 18*(4), 313–317.

Module 4 Resources

Alzheimer's Association has many resources 24-hour HELPLINE (1.800.272.3900)

Web site at <http://www.alz.org> is a national resource, with portals in multiple languages containing easy-to-understand information about dementia and Alzheimer's disease.

Alzheimer's Association has resources specifically geared for Healthcare providers can be found at <https://alz.org/professionals/healthcare-professionals> Their link to the caregiver section is <https://alz.org/help-support> Spanish language portal for information on Alzheimer's disease is at <http://www.alz.org/espanol> Note: There are other portals in Chinese, Japanese, Korean, Vietnamese, Arabic, Hindi, and Russian.

American Parkinson Disease Association: Through a nationwide network of local Chapters, APDA delivers education, support, and patient services to Americans with Parkinson's and their families each day. <https://www.apdaparkinson.org/resources-support/>

American Psychological Association: <http://www.apa.org/pi/about/publications/caregivers/practice-settings/assessment/tools/> Caregiver assessment tools; coping with caregiver stress and burden. Within the APA Web site, Publications and Databases tab, "Caregiver toolkit". Look under Assessment tools, Caregiver assessments, and/or coping with caregiver stress and burden for a comprehensive resource on the topic of caregiver assessment.

Association for Frontotemporal Degeneration: Information and resources for Health Professionals including Diagnosis FTD, Treating FTD, Clinical Presentations, and Partners in FTD Care Newsletters. <https://www.theaftd.org/for-health-professionals/>

Center for Quality Assessment and Improvement in Mental Health. PHQ2. <http://www.cgaimh.org>. The PHQ2 is a very brief screening tool for depression; if a person screens positive, the full PHQ9 can be given; if the score is above the validated cut-offs, the persons should be referred to a mental health provider for further assessment and treatment.

Compassionate Touch is a valuable method using skilled touch and presence that will help family members and care-partners stay connected with individuals living with dementia and enhance calm throughout the journey of dementia. To download the free the Compassionate Touch white paper, go to <https://ageucate.com/documents/Compassionate%20Touch%20White%20Paper.pdf>.

Cultural Competency: Engebretson, J., Mahoney, J., & Carlson, E. D. (2008) Cultural competence in the era of evidence-based practice. *Journal of Professional Nursing*, 24(3), 172–178.

Easy to print and understand version of the Caregiver Self-Assessment Questionnaire, a tool developed by the AMA. Available at: <http://web.mit.edu/workplacecenter/hndbk/sec4.html>

Dementia Action Alliance: DAA's Resources Center identifies content especially helpful for people living with dementia. There are many valuable free resources for professional health care providers, individuals with dementia, and family care-partners at <https://daanow.org/resource-center/>

HealthinAging.org: contains caregiver self-assessment tools in several languages

Lewy Body Dementia Association: LBDA provides educational resources to assist individuals with LBD, their families and health care providers. <https://www.lbda.org/go/materials>

Naomi Feil, founder of Validation Therapy, offers free videos on YouTube on how to connect with an individual living with dementia when words don't seem to be working

National Institutes of Health. (2016, July 29). Cultural Respect. Retrieved from: <https://www.nih.gov/institutes-nih/nih-office-director/office-communications-public-liaison/clear-communication/cultural-respect>

Rosalynn Carter Institute for Caregiving: <http://www.rosalynncarter.org>. Information on evidence-based programs including multiple adaptations of the REACH program used nationally.

Teepa Snow offers short free videos on YouTube demonstrating positive approaches that support the needs of both the PLWD and their care-partners.