

Dementia Curriculum for Health Care Professionals

Module 6: References

Understanding the Middle Stage of Dementia for an Interprofessional Team



Module 6 References

Aarsland, D., Taylor, J. P., & Weintraub, D. (2014). Psychiatric issues in cognitive impairment. *Movement Disorders*, 29(5), 651–662.

Ali, N., Luther, S. L., Volicer, L., Algase, D., Beattie, E., Brown, L. M., ... & Joseph, I. (2016). Risk assessment of wandering behavior in mild dementia. *International Journal of Geriatric Psychiatry*. 31(4), 367-374.

Aubert, L., Pichierri, S., Hommet, C., Camus, V., Berrut, G., & de Decker, L. (2015). Association between comorbidity burden and rapid cognitive decline in individuals with mild to moderate Alzheimer's disease. *Journal of the American Geriatrics Society*, 6, 543–547.

Azermai, M. (2015). Dealing with behavioral and psychological symptoms of dementia: A general overview. *Psychology Research and Behavior Management*, 8, 181–185.

Bixby, K., Davis, J. D., & Ott, B. R. (2015). Comparing caregiver and clinician predictions of fitness to drive in people with Alzheimer's disease. *American Journal of Occupational Therapy*, 69(3), 1–7. [doi: 10.5014/ajot.2015.013631](https://doi.org/10.5014/ajot.2015.013631)

Bombois, S., Derambure, P., Pasquier, F., & Monaca, C. (2010). Sleep disorders in aging and dementia. *Journal of Nutrition Health and Aging*, 14(3), 212–217.

Bonakis, A., Economou, N. T., Paparrigopoulos, T., Bonanni, E., Maestri, M., Carnicelli, L., ... & Papageorgiou, S. G. (2014). Sleep in frontotemporal dementia is equally or possibly more disrupted, and at an earlier stage, when compared to sleep in Alzheimer's disease. *Journal of Alzheimer's Disease*, 38(1), 85–91.

Breitve, M. H., Chwyszczuk, L. J., Hynninen, M. J., Rongve, A., Bronnick, K., Janvin, C., & Aarsland, D. (2014). A systematic review of cognitive decline in dementia with Lewy bodies versus Alzheimer's disease. *Alzheimer's Research and Therapy*, 6(5), 53.

British Psychological Society / Royal College of Psychiatrists. 2015. Dementia and people with intellectual disabilities. Guidance on the assessment, diagnosis, interventions and support of people with intellectual disabilities who develop dementia. Leicester, UK: British Psychological Society. [https://www1.bps.org.uk/system/files/Public%20files/rep77_dementia_and_id.pdf]

Brown, C. A., Wielandt, P., Wilson, D., Jones, A., & Crick, K. (2014). Healthcare providers' knowledge of disordered sleep, sleep assessment tools, and nonpharmacological sleep interventions for persons living with dementia: A national survey. *Sleep Disorders*, 2014, 1–9. [doi: 10.1155/2014/286274](https://doi.org/10.1155/2014/286274)

Budson, A. E., & Solomon, P. R. (2016). Non-pharmacological treatment of the behavioral and psychological symptoms of dementia memory Loss, Alzheimer's disease, and dementia: A practical guide for clinicians (2nd ed.). New York, NY: Elsevier.

Carr, D. B., & O'Neill, D. (2015). Mobility and safety issues in drivers with dementia. *International Psychogeriatrics*, 27(10), 1613–1622.

Cerejeira, J., Lagarto, L., & Mukaetova-ladinska, E. B. (2013). Behavioral and psychological symptoms of dementia. *Frontiers in Neurology*, 3, 1–21.

Chen, J. C., Espeland, M. A., Brunner, R. L., Lovato, L. C., Wallace, B., Leng, Z., ... & Mysiw, W. J. (2016). Sleep duration, cognitive decline, and dementia risk in older women. *Alzheimer's & Dementia*, 12(1), 21–33.

Cipriani, G., Lucetti, C., Danti, S., & Nuti, A. (2015). Sleep disturbances and dementia. *Psychogeriatrics*, 15(1), 65–74.

Cohen-Mansfield, J., Marx, M., Dakheel-Ali, M., & Thein, K. (2015). The use and utility of specific nonpharmacological interventions for behavioral symptoms in dementia: An exploratory study. *American Journal of Geriatric Psychiatry*, 23, 160–170.

Cohen-Mansfield, J., Thein, K., Marx, M. S., Daheel-Ali, M., & Freedman, L. (2012). Efficacy of nonpharmacologic interventions for agitation in advanced dementia: A randomized, placebo-controlled trial. *Journal of Clinical Psychiatry*, 73(9), 1255–1261.

Daulatzai, M. A. (2015). Evidence of neurodegeneration in obstructive sleep apnea: Relationship between obstructive sleep apnea and cognitive dysfunction in the elderly. *Journal of Neuroscience Research*, 93(12), 1778–1794.

David, R., Zeitzer, J., Friedman, L., Noda, A., O'Hara, R., Robert, P., & Yesavage, J. A. (2010). Non-pharmacologic management of sleep disturbance in Alzheimer's disease. *Journal of Nutrition Health and Aging*, 14(3), 203–206.

Desai, A. K., Schwartz, L., & Grossberg, G. T. (2012). Behavioral disturbance in dementia. *Current Psychiatry Reports*, 14, 298–309.

Dodd, K., Watchman, K., Janicki, M.P., Coppus, A., Gaertner, C., Fortea, F., ... & Strydom, A. (2017). Consensus Statement of the International Summit on Intellectual Disability and Dementia related to post-diagnostic support. *Aging & Mental Health*, 2017 Sep 7:1-10. doi: 10.1080/13607863.2017.1373065. [Epub ahead of print]

Esralew, L., Janicki, M.P., DiSipio, M., Jokinen, N., Keller, S.M. and Members of the National Task Group Section on Early Detection and Screening. (2013). National Task Group Early Detection Screen for Dementia (NTG-EDSD) Manual. *NADD Bulletin*, 16(3), 47-54.

Ferrazzoli, D., Sica, F., & Sancesario, G. (2013). Sundowning syndrome: A possible marker of frailty in Alzheimer's disease? *CNS and Neurological Disorders: Drug Targets*, 12(4), 525–528.

Galvin, J. E. (2012). Optimizing diagnosis and management in mild-to-moderate Alzheimer's disease. *Neurodegenerative Disease Management*, 2, 291–304.

Gitlin, L. N., Kales, H. C., & Lyketsos, C. G. (2012). Managing behavioral symptoms in dementia using nonpharmacologic approaches: An overview. *JAMA*, 308(19), 2020–2029.

Gitlin, L. N., & Rose, K. (2014). Factors associated with caregiver readiness to use nonpharmacologic strategies to manage dementia-related behavioral symptoms. *International Journal of Geriatric Psychiatry*. 29(1), 93–102.

Goldman, J. G., Williams-Gray, C., Barker, R. A., Duda, J. E., & Galvin, J. E. (2014). The spectrum of cognitive impairment in Lewy body diseases. *Movement Disorders*, 29(5), 608–621.

- Gorelick, P. B., & Nyenhuis, D. (2013). Understanding and treating vascular cognitive impairment. *Continuum: Lifelong Learning in Neurology*, 19, 425–437.
- Gumm, D. G., Naismith, S. L., Terpening, Z., & Lewis, S. J. G. (2013). The relationships between poor sleep efficiency and mild cognitive impairment in Parkinson disease. *Journal of Geriatric Psychiatry and Neurology*, 27(2), 77–84.
- Horning, S. M., Melrose, R., & Sultzer, D. (2014). Insight in Alzheimer’s disease and its relation to psychiatric and behavioral disturbances. *International Journal of Geriatric Psychiatry*, 29(1), 77–84.
- Jacobson, E., Avari, J., & Kalayam, B. (2015). Non-pharmacologic interventions for treatment of agitation in dementia in nursing home residents. *American Journal of Geriatric Psychiatry*, 23(3), S139–S140.
- Janicki MP, McCallion P, Splaine M, Santos FH, Keller SM, Watchman K. (2017). Consensus Statement of the International Summit on Intellectual Disability and Dementia Related to Nomenclature. *Intellect Dev Disabil*. 55(5):338-346. doi: 10.1352/1934-9556-55.5.338.
- Jenkins, C., & McKay, A. (2013). A collaborative approach to health promotion in early stage dementia. *Nursing Standard*, 27(36), 49–57.
- Jokinen, J. Janicki, M.P., Keller, S.M., McCallion, P., Force, L.T. and the National Task Group on Intellectual Disabilities and Dementia Practices. (2013). Guidelines for structuring community care and supports for people with intellectual disabilities affected by dementia. *Journal of Policy and Practice in Intellectual Disabilities*, 10(1), 1-28.
- Jokinen N., Gomiero T., Watchman K., Janicki M.P., Hogan M., Larsen F, B...& Crowe J. (2018). Perspectives on family caregiving of people aging with intellectual disability affected by dementia: Commentary from the International Summit on Intellectual Disability and Dementia. *J Gerontol Soc Work*. 2018 May-Jun;61(4):411-431. doi: 10.1080/01634372.2018.1454563. Epub 2018 Mar 27.
- Joller, P., Gupta, N., Switz, D.P., Frank, C. Gibson, M. & Gill, S.S.. (2013). Approach to inappropriate sexual behavior in people with dementia. *Canadian Family Physician*, 59, 255–260.
- Kales, H. C., Gitlin, L. N., & Lyketsos, C. G. (2015). Assessment and management of behavioral and psychological symptoms of dementia. *BMJ*, 350, h369.
- Kales, H. C., Gitlin, L. N., & Lyketsos, C. G., for the Detroit Expert Panel on the Assessment and Management of the Neuropsychiatric Symptoms of Dementia. (2014). Management of neuropsychiatric symptoms of dementia in clinical settings: Recommendations from a multidisciplinary expert panel. *Journal of the American Geriatric Society*, 62, 762–769.
- Kales, H. C., Valenstein, M., Kim, H. M, McCarthy, J. F., Ganoczy, D., Cunningham, F., & Blow, F. C. (2007) Mortality risk in patients with dementia treated with antipsychotics versus other psychiatric medications. *American Journal of Psychiatry*. 164(10), 1568– 1576.
- Kropelin, T. F., Neyens, J. C. L., Halfens, R. J. G., Kempen, G. I. J. M., & Hamers, J. P. H. (2013). Fall determinants in older long-term care residents with dementia: A systematic review. *International Psychogeriatrics*, 25, 549–563.

Landry, G. J., & Liu-Ambrose, T. (2014). Buying time: A rationale for examining the use of circadian rhythm and sleep interventions to delay progression of mild cognitive impairment to Alzheimer's disease. *Frontiers in Aging Neuroscience*, 6, 1–21. doi: 10.3389/fnagi.2014.00325
 Lewy Body Dementia Association. (n.d.). 10 things you should know about LBD. Retrieved from <https://www.lbda.org/content/10-things-you-should-know-about-lbd>

Lichtenberg, P. A. (2014). Sexuality and physical intimacy in long term care: Sexuality, long term care, capacity assessment. *Occupational Therapy in Health Care*, 28(1), 42– 50.

Liddle, J., Bennett, S., Allen, S., Lie, D. C., Standen, B., & Pachana, N. A. (2013). The stages of driving cessation for people with dementia: Needs and challenges. *International Psychogeriatrics*, 25(12), 2033–2046.

Lyketsos, C. G., Carrillo, M. C., Ryan, J. M., Khachaturian, A. S., Trzepacz, P., Amatniek, J., ... & Muller, D. S. (2011). Neuropsychiatric symptoms in Alzheimer's disease. *Alzheimer's and Dementia*. 7(5), 532–539.

Mayo Clinic. (2017). Lewy body dementia. Information can be retrieved using Lewy Body Dementia, Mayo Clinic as key words in a web search.

McCarron M, McCallion P, Coppus A, Fortea J, Stemp S, Janicki M, & Wtchman K. (2018). Supporting advanced dementia in people with Down syndrome and other intellectual disability: consensus statement of the International Summit on Intellectual Disability and Dementia. *J Intellect Disabil Res*. 2018 Jul;62(7):617-624. doi: 10.1111/jir.12500. Epub 2018 May 20.

Mertens, B., & Sorenson, S. B. (2012). Current considerations about the elderly and firearms. *American Journal of Public Health*, 102(3), 396–400.

Meuser, T.M., Berg-Weger, M., Carr, D.B., Shi, S.J. & Stewart, D. (2016). Clinician Effectiveness in Assessing Fitness-to-Drive of Medically At-Risk Older Adults. *Journal of the American Geriatrics Society*, 64, 849-854.

Mioshi, E., Hsieh, S., Savage, S., Hornberger, M., & Hodges, J. R. (2010). Clinical staging and disease progression in frontotemporal dementia. *Neurology*, 74, 1591– 1597.

Moran J.A., Rafii, M.S., Keller, S.M., Singh, B.K., & Janicki, M.P., (2013). The National Task Group on Intellectual Disabilities and Dementia Practices consensus recommendations for the evaluation and management of dementia in adults with intellectual disabilities. *Mayo Clinic Proceedings*, 88(8), 831-840.

Murphy, K. (2015). What to do about sexually inappropriate behavior in patients with dementia. *Nursing*, 45(9), 53–56.

Nakaoka, A., Suto, S., Makimoto, K., Yamakawa, M., Shigenobu, K., & Tabushi, K. (2010). Pacing and lapping movements among institutionalized patients with dementia. *American Journal of Alzheimer's Disease and Other Dementias*, 25(2), 167–172.

National Institute on Aging, National Institutes of Health. (2017a). *The basics of dementia*. Retrieved from <https://www.nia.nih.gov/alzheimers/publication/dementias/basics-dementia>

National Institute on Aging, National Institutes of Health. (2017b). The dementias: Hope through research. Retrieved from <https://www.ninds.nih.gov/Disorders/Patient-Caregiver-Education/Hope-Through-Research/Dementia-Hope-Through-Research>

National Institute on Aging, National Institutes of Health. (2017c). Frontotemporal dementia: Information for patients, families, and caregivers. Retrieved from https://order.nia.nih.gov/sites/default/files/2017-07/ADEAR_FTD_508.pdf

National Institute on Aging, National Institutes of Health. (2017d). *Caring for a person with Alzheimer's disease: Your easy-to-use guide from the National Institute on Aging*. Retrieved from https://order.nia.nih.gov/sites/default/files/2017-07/Caring_for_person_with_AD_508_0.pdf

National Institute on Aging, National Institutes of Health. (2015). *Lewy body dementia: Information for patients, families, and professionals*. Retrieved from <https://order.nia.nih.gov/publication/lewy-body-dementia-information-for-patients-families-and-professionals>

National Sleep Foundation. (n.d.). *Sleep hygiene, insomnia and mental health: Ask the expert*. Retrieved from <https://sleepfoundation.org/ask-the-expert/sleep-hygiene-insomnia-and-mental-health>

National Task Group on Intellectual Disabilities and Dementia Practice. (2012). 'My Thinker's Not Working': A National Strategy for Enabling Adults with Intellectual Disabilities Affected by Dementia to Remain in Their Community and Receive Quality Supports. Accessed from: www.aadmd.org/ntg/thinker

Nordgren, L., & Engstrom, G. (2014). Animal-assisted intervention in dementia: Effects on quality of life. *Clinical Nursing Research*, 23(1), 7–19.

Ortigara, A., & Scher McLean, R. (2013). Seeing the person first: Living with moderate-stage dementia. *Generations*, 37(3), 66–69.

Ortman, J. M., Victoria A., Velkoff, V. A., & Hogan H. (2014). *An Aging Nation: The Older Population in the United States*, Current Population Reports (P25-1140). U.S. Census Bureau: Washington, DC.

Prasher, V., (2005). *Alzheimer's disease and dementia in Down syndrome and intellectual disabilities*. Oxford, UK: Radcliffe Publishing

Peter-Derex, L., Yammine, P., Bastuji, H., & Croisile, B. (2015). Sleep and Alzheimer's disease. *Sleep Medicine Reviews*, 19, 29–38.

Petonito, G., Muschert, G. W., Carr, D. C., Kinney, J. M., Robbins, E. J., & Brown, J. S. (2013). Programs to locate missing and critically wandering elders: A critical review and a call for multiphasic evaluation. *Gerontologist*, 53(1), 17–25.

Piguet, O., Hornberger, M., Mioshi, E., & Hodges, J. R. (2011). Behavioral-variant frontotemporal dementia: Diagnosis, clinical staging, and management. *Lancet Neurology*, 10, 162–172.

Poland, F., Mapes, S., Pinnock H., Katona, C., Sorensen, S., Fox, C., & Maidment, I. D. (2014). Perspectives of carers on medication management in dementia: lessons from collaboratively developing a research proposal. *BMC Research Notes*, 7, 463.

Prasher, V.P. (2005). *Alzheimer's Disease and Dementia in Down Syndrome and Intellectual Disabilities*. Oxford: Radcliffe

Raggi, A., Neri, W., & Ferri, R. (2015). Sleep-related behaviors in Alzheimer's disease and Lewy body dementia. *Reviews in Neurosciences*, 26(1), 31–38.

Roh, J. H., & Lee, J. H. (2014). Recent updates on subcortical ischemic vascular dementia. *Journal of Stroke*, 16(1), 18–26. Retrieved from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3961819/>

Rowe, M. (2008). Wandering in hospitalized older adults: Identifying risk is the first step in this approach to preventing wandering in patients with dementia. *American Journal of Nursing*, 108(10), 62–70

Rowe, M. A., Greenblum, C. A., & D'Aoust, R. F. (2012). Missing incidents in community-dwelling people with dementia: Understanding how these dangerous events differ from dementia-related “wandering” is critical to assessment, intervention, and prevention. *American Journal of Nursing*, 112(12), 30–35.

Rowe, M. A., Vandever, S. S., Greenblum, C. A., List, C. N., Fernandez, R. M., Mixson, N. E., & Ahn, H. C. (2011). Persons with dementia missing in the community: Is it wandering or something unique? *BMC Geriatrics*, 11, 28. doi: 10.1186/1471-2318-11-28

Sahathevan, R., Brodtmann, A., & Donnan, G. A. (2012). Dementia, stroke, and vascular risk factors: A review. *International Journal of Stroke*, 7, 1–73.

Tzeng, H. M., & Yin, C. Y. (2013). Frequently observed risk factors for fall-related injuries and effective preventive interventions: A multihospital survey of nurses' perceptions. *Journal of Nursing Care Quality*, 28(2), 130–138.

Vasavada, M. M., Wang, J., Eslinger, P. J., Gill, D. J., Sun, X., Karunanayaka, P., Yang, Q. X. (2015). Olfactory cortex degeneration in Alzheimer's disease and mild cognitive impairment. *Journal of Alzheimer's Disease*, 45, 947–958.

Wand, A. P., Peisah, C., Strukovski, J. A., & Brodaty, H. (2014). Firearms, mental illness, dementia and the clinician. *Medical Journal of Australia*, 201(11), 674–678.

Westwood, S. (2014). Dementia, women and sexuality: How the intersection of ageing, gender and sexuality magnify dementia concerns among lesbian and bisexual women. *Dementia (London)*. Advance online publication. doi: 10.1177/1471301214564446

Williams, J. W., Plassman, B. L., Burke, J., Holsinger, T., & Benjamin, S. (2010). *Preventing Alzheimer's disease and cognitive decline*. Rockville, MD: Agency for Healthcare Research and Quality.

Wolfson, C., Wolfson, D. B., Asgharian, M., M'Lan, C. E., Østbye, T., Rockwood, K., & Hogan, D. B. (2001). A reevaluation of the duration of survival after the onset of dementia. *New England Journal of Medicine*, 344, 1111–1116.

Yevchak, A. M., Steis, M. R., & Evans, L. K. (2012). Sundown syndrome: A systematic review of the literature. *Research in Gerontological Nursing*, 5(4), 294–303.

Module 6 Additional References

- Ahlskog, J. E. (2011). Does vigorous exercise have a neuroprotective effect in Parkinson disease? *Neurology*, *77*, 288–294. Ali, N., Luther, S. L., Volicer, L., Algase, D., Beattie, E., Brown, L. M., ... & Joseph, I.
- (2016). Risk assessment of wandering behavior in mild dementia. *International Journal of Geriatric Psychiatry*, *31*(4), 367–374.
- Alm, M., & Behne, D. (2013). Audio-visual speech experience with age influences perceived audio-visual asynchrony in speech. *Journal of the Acoustical Society of America*, *134*, 3001–3010.
- Bakker, C., de Vugt, M. E., van Vliet, D., Verbey, F., Pijnenburg, Y. A., Vernooij-Dassen, M. J., & Koopmans, R. T. (2014). Unmet needs and health-related quality of life in young-onset dementia. *American Journal of Geriatric Psychiatry*, *22*(11), 1121–1130.
- Blackburn, R., & Bradshaw, T. (2014). Music therapy for service users with dementia: A critical review of the literature. *Journal of Psychiatric and Mental Health Nursing*, *21*, 879–888.
- Brody, H., McGilchrist, C., Harris, L., & Peters, K. E. (1993). Time until institutionalization and death in patients with dementia: Role of caregiver training and risk factors. *Archives of Neurology*, *50*(6), 643–650.
- Caputi, N., Di Giacomo, D., Aloisio, F., & Passafiume, D. (2015). Deterioration of semantic associative relationships in mild cognitive impairment and Alzheimer Disease. *Applied Neuropsychology: Adult*. Advance online publication. doi: 10.1080/23279095.2015.1030020
- Chang, L. H., Yotsumoto, Y., Salat, D. H., Andersen, G. J., Watanabe, T., & Sasaki, Y. (2015). Reduction in the retinotopic early visual cortex with normal aging and magnitude of perceptual learning. *Neurobiology of Aging*, *36*, 315-322.
- Chen, X., Mao, G., & Leng, S. X. (2014). Frailty syndrome: An overview. *Clinical Interventions in Aging*, *9*, 433–441. doi: [10.2147/CIA.S45300](https://doi.org/10.2147/CIA.S45300)
- Diaz-Santos, M., Cao, B., Mauro, S. A., Yazdanbakhsh, A., Nearing, S., & Cronin-Golomb, A. (2015). Effect of visual cues on the resolution of perceptual ambiguity in Parkinson's disease and normal aging. *Journal of the International Neuropsychological Society*, *21*, 146-155.
- Dobbs, B. M., & Shergill, S. S. (2013). How effective is the Trail Making Test (Parts A and B) in identifying cognitively impaired drivers? *Age and Ageing*, *42*(5), 577–581.
- Edvardsson, D., Petersson, L., Sjogren, K., Lindkvist, M., & Sandman, P.-O. (2014). Everyday activities for people with dementia in residential aged care: Associations with person-centredness and quality of life. *International Journal of Older People Nursing*, *9*, 269–276.
- Eichenbaum, J. W. (2012). Geriatric vision loss due to cataracts, macular degeneration, and glaucoma. *Mount Sinai Journal of Medicine*, *79*, 276–294.

Faulk, S., Edwards, L., Sumrall, K., Shelton, T., Esalomi, T., Payton, C., ... & Dolbow, D. R. (2014). Benefits of physical activity on Alzheimer's disease: A literature review. *Clinical Kinesiology*, *68*(3), 19–24.

Figueiro, M. G., Plitnick, B. A., Lok, A., Jones, G. E., Higgins, P., Hornick, T. R., & Rea, M. S. (2014). Tailored lighting intervention improves measures of sleep, depression, and agitation in persons with Alzheimer's disease and related dementia living in long-term care facilities. *Clinical Interventions in Aging*, *9*, 1527–1537.

Forbes, D., Blake, C. M., Thiessen, E. J., Peacock, S., & Hawranik, P. (2014). Light therapy for improving cognition, activities of daily living, sleep, challenging behavior, and psychiatric disturbances in dementia. *Cochrane Database of Systematic Reviews*, *2014*(2), CD003946. doi: 10.1002/14651858

Forbes, D., Forbes, S. C., Blake, C. M., Thiessen, E. J., & Forbes, S. (2015). Exercise programs for people with dementia. *Cochrane Database of Systematic Reviews*, *2015*(4), CD006489. doi: [10.1002/14651858.CD006489.pub4](https://doi.org/10.1002/14651858.CD006489.pub4)

Giebel, C. M., Challis, D., & Montaldi, D. (2015). Understanding the cognitive underpinnings of functional impairments in early dementia: a review. *Aging & Mental Health*, *19*, 859–875.

Gitlin, L. N., & Rose, K. (2014). Factors associated with caregiver readiness to use nonpharmacologic strategies to manage dementia-related behavioral symptoms. *International Journal of Geriatric Psychiatry*, *29*(1), 93–102.

Helzner, E. P., Scarmeas, N., Cosentino, S., Tang, M. X., Schupf, N., & Stern, Y. (2008). Survival in Alzheimer disease: A multiethnic, population-based study of incident cases. *Neurology*, *71*(19), 1489–1495.

Hügel, H. M. (2015). Brain food for Alzheimer-free ageing: Focus on herbal medicines. *Advances in Experimental Medicine and Biology*, *863*, 95–116.

Huyse, A., Leybaert, J., & Berthommier, F. (2014). Effects of aging on audio-visual speech integration *The Journal of the Acoustical Society of America*, *136*, 1918–1931.

Iverson, D. J., Gronseth, G. S., Reger, M. A., Classen, S., Dubinsky, R. M., & Rizo, M. (2010). Practice Parameter update: Evaluation and management of driving risk in dementia; Report of the Quality Standards Subcommittee of the American Academy of Neurology. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/20385882>

Keating, N., & Gaudet, N. (2012). Quality of life of persons with dementia. *Journal of Nutrition, Health, and Aging*, *10*(5), 454–456.

Kumar, P., Tiwari S. C., Goel, A., Sreenivas, V., Kumar, N., Tripathi, R. K., ... & Dey, A. B. (2014). Novel occupational therapy interventions may improve quality of life in older adults with dementia. *International Archives of Medicine*, 7, 26.

Lee, D. R., Taylor J.-P., & Thomas, A. J. (2012). Assessment of cognitive fluctuation in dementia: A systematic review of the literature. *International Journal of Geriatric Psychiatry*, 27, 989–998.

Li, H.-C., Wang, H.-H., Chou, F.-H., & Chen, K.-M. (2015). The effect of music therapy on cognitive functioning among older adults: A systematic review and meta-analysis. *Journal of the American Medical Directors Association*, 16, 71–77.

Mitchell, S. L. (2015). Advanced dementia. *New England Journal of Medicine*, 372(26), 2533–2540. Mitchell, S. L., Kiely, D. K., Jones, R. N., Prigerson, H., Volicer, L., & Teno, J. M. (2006). Advanced dementia research in the nursing home: The CASCADE study. *Alzheimer Disease and Associated Disorders*, 20(3), 166–175.

National Eye Institute, National Institutes of Health. (2015). *Cataracts*. Retrieved from https://nei.nih.gov/health/cataract/cataract_facts

Ni Mhaolain, A. M., Gallagher, D., Crosby, L., Ryan, D., Lacey, L., Coen, R. F., ... Lawlor, B. (2012). Frailty and quality of life for people with Alzheimer's dementia and mild cognitive impairment. *American Journal of Alzheimer's Disease and Other Dementias*, 27(1), 48–54.

Nussbaumer, B., Kaminski-Hartenthaler, A., Forneris, C. A., Morgan, L. C., Sonis, J. H., ... & Gartlehner, G. (2014). Light therapy for preventing seasonal affective disorder. *Cochrane Database of Systematic Reviews*, 2015(11), CD011269. doi: [10.1002/14651858.CD011269](https://doi.org/10.1002/14651858.CD011269)

Paxton, J. L., Peavy, G. M., Jenkins, C., Rice, V. A., Heindel, W. C., & Salmon, D. P. (2007). Deterioration of visual-perceptual organization ability in Alzheimer's disease. *Cortex*, 43, 967–975.

Phillips, C., Baktir, M. A., Das, D., Lin, B., & Salehi, A. (2015). The link between physical activity and cognitive dysfunction in Alzheimer disease. *Physical Therapy*, 9, 1046–1060.

Pollanen, S. H., & Hirsimaki, R. M. (2014). Crafts as memory triggers in reminiscence: A case study of older women with dementia. *Occupational Therapy in Health Care*, 28(4), 410–430.

Rush University Medical Center. (n.d.). *MIND Diet may help prevent Alzheimer's*. Retrieved from <https://www.rush.edu/news/diet-may-help-prevent-alzheimers>

Safar, L. T. (2014). Use of art making in treating older patients with dementia. *Virtual Mentor*, 16(8), 626–630.

Satizabal, C. L., Beiser, A. S., Chouraki, V., Chêne, G., Dufouil, C., & Seshadri, S. (2016). Incidence of dementia over three decades in the Framingham Heart Study. *New England Journal of Medicine*, 374(6), 523–532.

Smit, D., de Lange, J., Willemse, B., Twisk, J., & Pot, A. M. (2016). Activity involvement and quality of life of people at different stages of dementia in long term care facilities. *Aging and Mental Health*, 20(1), 100–109.

Spector, A., Orrell, M., & Woods, B. (2010). Cognitive Stimulation Therapy (CST): Effects on different areas of cognitive function for people with dementia. *International Journal of Geriatric Psychiatry*, 25(12), 1253–1258.

Trahan, M. A., Kuo, J., Carlson, M. C., & Gitlin, L. N. (2014). A systematic review of strategies to foster activity engagement in persons with dementia. *Health Education and Behavior*, 41(10), 70S–83S.

U.S. Census Bureau. (2015). *Projections of the size and composition of the U.S. population: 2014 to 2060*. Current Population Reports (P25-1143). U.S. Census Bureau: Washington, DC. Retrieved from <https://www.census.gov/library/publications/2015/demo/p25-1143.html>

Van Maanen, A., Meijer, A. M., van der Heijden, K. B., & Oort, F. J. (2015). The effects of light therapy on sleep problems: A systematic review and meta-analysis. *Sleep Medicine Reviews*, 29, 52–62.

Vaucher, P., Herzig, D., Cardoso, I., Herzog, M. H., Mangin, P., & Favrat, B. (2014). The trail making test as a screening instrument for driving performance in older drivers: A translational research. *BMC Geriatrics*, 14, 123.

Volicer L., Citrome L., & Volavka J. Measurement of agitation and aggression in adult and aged neuropsychiatric patients: review of definitions and frequently used measurement scales. *CNS Spectr.* 2017 Oct;22(5):407-414

Weinmann, S., Rolle, S., Schwarzback, C., Vauth, C., & Willich, S. N. (2010). Effects of Ginkgo biloba in dementia: Systematic review and meta-analysis. *BMC Geriatrics*, 10(14). Retrieved from <http://www.biomedcentral.com/1471-2318/10/14>

Wolfson, C., Wolfson, D. B., Asgharian, M., M'LAN, C. E., Østbye, T., Rockwood, K., & Hogan, D. B. (2001). A reevaluation of the duration of survival after the onset of dementia. *New England Journal of Medicine*, 344, 1111–1116.

Wood, J. S., Firbank, M. J., Mosimann, U. P., Watson, R., Barber, R., Blamire, A. M., & O'Brien, J. T. Testing visual perception in dementia with Lewy bodies and Alzheimer disease. (2013). *The American Journal of Geriatric Psychiatry*, 21, 501–508.

Woods, B., Aguirre, E., Spector, A. E., & Orrell, M. (2012). Cognitive stimulation to improve cognitive functioning in people with dementia. *Cochrane Database of Systematic Reviews*, 2012(2), CD005562. doi: 10.1002/14651858.CD005562.pub2

Xie, J., Brayne, C., Matthews, F. E., & Medical Research Council Cognitive Function and Ageing Study collaborators. (2008). Survival times in people with dementia: Analysis from population based cohort study with 14-year follow-up. *BMJ (Clinical Research Ed.)*, 336(7638), 258–262.

Zimmerman, K. A. (2014). *Memory definition and types of memory*. Retrieved from <http://www.livescience.com/43713-memory.html>

Module 6 Resources

A Good Night's Sleep

<http://www.nia.nih.gov/health/publication/good-nights-sleep>

American Association of Retired Persons (AARP). We Need to Talk.

http://www.aarp.org/home-garden/transportation/we_need_to_talk/?intcmp=EDO-DSP-PR-WNTT

National Adult Day Services Association

<http://www.nadsa.org>

1-877-745-1440

Alzheimer's Disease Education and Referral (ADEAR) Center

<http://www.nia.nih.gov/alzheimers>

1-800-438-4380 (toll-free)

Alzheimer's Association

<http://www.alz.org>

1-800-272-3900 (toll-free)

1-866-403-3073 (TDD/toll-free)

Alzheimer's Caregiving Tips: Managing Medicines for a Person with Alzheimer's

<https://www.nia.nih.gov/health/managing-medicines-person-alzheimers>

Alzheimer's Foundation of America

<http://www.alzfdn.org>

1-866-AFA-8484 (1-866-232-8484; toll-free)

At the Crossroads: Family Conversations about Alzheimer's Disease, Dementia, and Driving

<http://www.thehartford.com/mature-market-excellence/publications-on-aging>

Caring for a Person with Alzheimer's Disease: Your Easy-to-Use Guide from the National Institute on Aging

<https://order.nia.nih.gov/publication/caring-for-a-person-with-alzheimers-disease-your-easy-to-use-guide>

Dementia & Driving Resource Center

<http://www.alz.org/care/alzheimers-dementia-and-driving.asp>

Driving Safety and Alzheimer's Disease

<https://www.nia.nih.gov/health/driving-safety-and-alzheimers-disease>

Geriatrics and Extended Care: Guide to Long Term Services and Supports

<http://www.va.gov/GERIATRICS/Guide/LongTermCare/index.asp>

Hartford Insurance Company. Safe Driving for a Lifetime.

<https://www.thehartford.com/resources/mature-market-excellence>

Hartford Insurance Company. At the Crossroads. Family Conversations About Alzheimer's Disease, Dementia & Driving.

<http://hartfordauto.thehartford.com/UI/Downloads/Crossroads.pdf>

Helping People with Alzheimer's Disease Stay Physically Active: Go4Life Tip Sheet

<https://go4life.nia.nih.gov/tip-sheets/activities>

Home Safety and Alzheimer's Disease

<https://www.nia.nih.gov/health/home-safety-and-alzheimers-disease>

Intimacy and Sexuality: Resources for Dementia Caregivers

<https://www.nia.nih.gov/health/intimacy-and-sexuality-resources-dementia-caregivers>

Medicare Home Health Compare

<http://www.medicare.gov/homehealthcompare/search.html>

Meuser, T.M., Berg-Weger, M., Carr, D.B., Shi, S.J. & Stewart, D. (2016). Clinician Effectiveness in Assessing Fitness-to-Drive of Medically At-Risk Older Adults. *Journal of the American Geriatrics Society*, 64, 849-854.

National PACE Association

<http://www.npaonline.org>

National Transitions of Care Coalition

<http://www.ntocc.org>

Physician's Guide to Assessing and Counseling Older Drivers

<http://www.nhtsa.gov/people/injury/olddrive/olderdriversbook/pages/contents.html>

Age and Driving: Safety Tips and Warning Signs for Older Drivers

<https://www.helpguide.org/articles/aging-well/age-and-driving-safety-tips.htm>